

STIC Search Report

STIC Database Tracking Number: 201855

TO: Jeffrey Smith Location: Duke/Lab3

Art Unit: 2624

Tuesday, September 19, 2006

Case Serial Number: 10677194

From: Virgil O. Tyler(ASRC)

Location: EIC 2600

KNX-8B68

Phone: 571-272-8536

Virgil.Tyler@uspto.gov

Search Notes

Dear Examiner Smith,

Attached are the search results (from commercial databases) for your refocused case.

Tags mark the patent/articles, which might be of interest. After you review all records including tagged and untagged records, if you wish to order the complete text of any record, please submit request(s) directly to the STIC-EIC 2600 Email Box or hand carry the request to the front desk of the respective EIC.

Please call if you have any questions or suggestions. I have enclosed a Search Results Feedback Form to facilitate further comments or suggestions. Please take a few minutes to share with us your feedback.

Thanks

Virgil O. Tyler


Virgil O. Tyler, CLIN Assistant

Technical Information Specialist

ASRC Aerospace Corporation

EIC 2600





#		
	9 T I	•
	,,,	
	Α.	- 4

Questions about the scope or the results of the search? Contact the EIC searcher or contact:

Pamela Reynolds, EIC 2600 Team Leader 571-272-3505, Knox 8B59

VOIDITALLY INESUITS FLACTORIER FORM
> I am an examiner in Workgroup: Example: 2663
 ➤ Relevant prior art found, search results used as follows: 102 rejection 103 rejection Cited as being of interest. Helped examiner better understand the invention.
 ☐ Helped examiner better understand the state of the art in their technology. Types of relevant prior art found: ☐ Foreign Patent(s) ☐ Non-Patent Literature
 (journal articles, conference proceedings, new product announcements etc.) ▶ Relevant prior art not found: □ Results verified the lack of relevant prior art (helped determine patentability). □ Results were not useful in determining patentability or understanding the invention.
Comments:

Drop officirs and completed forms to STIC/EIC2600 Knox 8B59



```
2:INSPEC 1898-2006/Sep W2
File
         (c) 2006 Institution of Electrical Engineers
       6:NTIS 1964-2006/Sep W2
File
         (c) 2006 NTIS, Intl Cpyrght All Rights Res
       8:Ei Compendex(R) 1970-2006/Sep W2
File
         (c) 2006 Elsevier Eng. Info. Inc.
      34:SciSearch(R) Cited Ref Sci 1990-2006/Sep W2
File
         (c) 2006 The Thomson Corp
      35:Dissertation Abs Online 1861-2006/Aug
File
         (c) 2006 ProQuest Info&Learning
      56: Computer and Information Systems Abstracts 1966-2006/Aug
File
         (c) 2006 CSA.
      57: Electronics & Communications Abstracts 1966-2006/Aug
File
         (c) 2006 CSA.
      65:Inside Conferences 1993-2006/Sep 18
File
         (c) 2006 BLDSC all rts. reserv.
      94:JICST-EPlus 1985-2006/Jun W2
File
         (c) 2006 Japan Science and Tech Corp(JST)
      95:TEME-Technology & Management 1989-2006/Sep W3
File
         (c) 2006 FIZ TECHNIK
      99:Wilson Appl. Sci & Tech Abs 1983-2006/Jul
File
         (c) 2006 The HW Wilson Co.
File 144: Pascal 1973-2006/Aug W4
         (c) 2006 INIST/CNRS
File 239:Mathsci 1940-2006/Oct
         (c) 2006 American Mathematical Society
File 256:TecInfoSource 82-2006/Jan
         (c) 2006 Info.Sources Inc
File 583: Gale Group Globalbase (TM) 1986-2002/Dec 13
         (c) 2002 The Gale Group
File 603: Newspaper Abstracts 1984-1988
         (c) 2001 ProQuest Info&Learning
File 483: Newspaper Abs Daily 1986-2006/Sep 17
         (c) 2006 ProQuest Info&Learning
File 248:PIRA 1975-2006/Aug W4
         (c) 2006 Pira International
                Description
Set
        Items
                FILE()(NAME?? OR EXT OR EXTENSION) OR EXT OR EXTENSION??
       832787
S1
                 (ENCOD? OR CODE?? OR CODING OR MAP? OR LINK???) (3N) S1
S2
         9098
                 (CHANG? OR MODIFY??? OR MODIFIES OR MODIFICATION OR EDIT???
S3
       118512
              OR CORERECT ??? OR INDICAT? OR FLAG? OR RECORD ???) (3N) (LETTER-
             ?? OR CASE OR (UPPER OR LOWER OR TITLE OR SENTENCE) () CASE OR -
             CAPITALI? OR (REVERSE OR BLINK???) () VIDEO)
                 (JPEG OR JPG OR GIF OR TIF OR PCX OR TXT OR DOC OR PDF OR -
S4
             BMP) (3N) S3
                AUTOMAT? (3N) (S3 OR S4)
          112
S5
                 (SENSOR OR DETECT? OR SENSING) (3N) (ORIENTAT??? OR ROTAT???
       105984
S6
             OR POSITION OR LANDSCAPE OR PORTRAIT OR REVERSE?? OR UPSIDE (-
             ) DOWN OR RIGHT()SIDE()UP OR 90()DEGREE?? OR CLOCKWISE OR CLOC-
             K() WISE OR COUNTERCLOCKWISE OR COUNTER() CLOCKWISE OR COLOR ?? -
             OR COLOUR?? O
                 (ATTRIBUTE?? OR FEATURE?? OR INFORMATION OR DOCUMENT OR CH-
         2159
S7
             ARACTERISTIC) (3N) S6
                AU=(DEBRITO, D? OR DEBRITO D?)
S8
                 (DIGITAL???() IMAG? OR PICTURE?? OR PHOTO OR PHOTOS OR PHOT-
S9
       168112
             OGRAPH?? OR LOGO?? OR ICON?? OR GLYPH?? OR GRAPHIC? OR GRAPHIX
              OR PICTOGRAM?? OR PICTOGRAPH?? OR SYMBOL?? OR PATTERN?? OR I-
             MAG??? OR BIT()MAP??)(3N)(ENCOD? OR CODE?? OR CODING)
                 (CAMERA?? OR CCD OR (CAPTUR??? OR CHARGE()COUPLED OR IMAG?-
S10
       438203
             )()DEVICE??)
```

S11	2 S2(S)(S3 OR S4)	
S12	1 S11 NOT INCOMPRESSIBLE	
S13	6909 (S1 OR S2) (3N) (LETTER?? OR CASE	OR (HPPER OR LOWER OR TITLE
515	OR SENTENCE) () CASE OR CAPITALI? OF	· · · · · · · · · · · · · · · · · · ·
	DEO)	((NEVEROE ON BEINN:::) () VI
S14	O (CHANG? OR MODIFY??? OR MODIFIES	OR MODIFICATION OR EDIT???
	OR CORERECT??? OR INDICAT? OR FLAC	G? OR RECORD???) (3N) (JPEG OR
	JPG OR GIF OR TIF OR PCX OR TXT OF	
S15	1 (CHANG? OR MODIFY??? OR MODIFIES	
	OR CORERECT??? OR INDICAT? OR FLAC	
	JPG OR GIF OR TIF OR PCX OR TXT OR	
S16	1 (CHANG? OR MODIFY??? OR MODIFIES	OR MODIFICATION OR EDIT???
	OR CORERECT??? OR INDICAT? OR FLAC	
	JPG OR GIF OR TIF OR PCX OR TXT OR	
S17	0 S16 NOT S15	, , ,
S18	<pre>2 (CHANG? OR MODIFY??? OR MODIFIES</pre>	OR MODIFICATION OR EDIT???
	OR CORERECT??? OR INDICAT? OR FLAC	G? OR RECORD???) AND (JPEG -
	OR JPG OR GIF OR TIF OR PCX OR TXT	
	13	·
S19	1 S18 NOT S16	
S20	0 S19 NOT TORUS	
S21	0 S2(3N)(S6 OR S7)	
S22	1721 (S6 OR S7) (3N) (S9 OR S10)	
S23	0 S22(3N)(S3:S5)	
S24	1 S22(S)(S3:S5)	
S25	0 S22(3N)(S1 OR S2)	
S26	11 S22(30N)(S1 OR S2)	
S27	3 RD (unique items)	
S28	3 S27 NOT PY>2003	
S29	0 S8 NOT ACUTE	

12/3,K/1 (Item 1 from file: 8)
DIALOG(R)File 8:Ei Compendex(R)
(c) 2006 Elsevier Eng. Info. Inc. All rts. reserv.

06022523 E.I. No: EIP02126891548

Title: On the injectivity of the Parikh matrix mapping

Author: Atanasiu, Adrian; Martin-Vide, Carlos; Mateescu, Alexandru

Corporate Source: Faculty of Mathematics Bucharest University, 70109

Bucharest, Romania

Source: Fundamenta Informaticae v 49 n 4 February 2002. p 289-299

Publication Year: 2002

CODEN: FUINE8 ISSN: 0169-2968

Language: English

...Abstract: palindromic amiable if and only if they possed the same image by the Parikh matrix **mapping**. Problems related to **extension** of results on the injectivity of the binary Parikh matrix mapping to alphabets with more than two **letters** were also discussed. (**Edited** abstract) 3 Refs.

15/3,K/1 (Item 1 from file: 483)
DIALOG(R)File 483:Newspaper Abs Daily
(c) 2006 ProQuest Info&Learning. All rts. reserv.

06265245 SUPPLIER NUMBER: 65008149
Online: Start here: How to dress Windows

Schofield, Jack

Guardian, p ONLINE.11

Dec 7, 2000

ISSN: 0261-3077 NEWSPAPER CODE: MG
DOCUMENT TYPE: Commentary; Newspaper article
LANGUAGE: English RECORD TYPE: ABSTRACT

...ABSTRACT: with this approach is that Windows Explorer's default setting is to hide the three-letter file extensions (. doc , . txt , . jpg etc) that tell Windows which program should load a particular file. The solution is to change the default. Go to View Folder Options and click on the tab that says View.

24/3,K/1 (Item 1 from file: 2)

DIALOG(R) File 2: INSPEC

(c) 2006 Institution of Electrical Engineers. All rts. reserv.

08402123 INSPEC Abstract Number: B2002-11-6135C-037, C2002-11-5260D-029 Title: MPEG video segmentation using two-stage neural networks and hierarchical frame search

Author(s): Joomin Kim; Yeongwoo Choi; Kusik Chung

Journal: Journal of KISS: Software and Applications vol.29, no.1-2 p.114-25

Publisher: Korea Inf. Sci. Soc,

Publication Date: Feb. 2002 Country of Publication: South Korea

CODEN: CKNBFV ISSN: 1229-6848

SICI: 1229-6848(200202)29:1/2L.114:MVSU;1-L Material Identity Number: 0848-2002-018

Language: Korean Subfile: B C Copyright 2002, IEE

...Abstract: 2000), each picture group is divided into one of the three detailed categories, Shot (in case of scene change), Move (in case of camera operation or object movement) and Static (in case of almost no change between images), by analysing DC (Direct Current) component of I (Intra) frame. In this process, we have designed a two-stage hierarchical neural network with inputs of various multiple features combined. The system detects the accurate shot position, types of camera operations or object movements by searching P (Predicted), B (Bi-directional) frames of the current...

28/3,K/1 (Item 1 from file: 2)

DIALOG(R) File 2: INSPEC

(c) 2006 Institution of Electrical Engineers. All rts. reserv.

07078377 INSPEC Abstract Number: A9824-4780-009

Title: Two-color digital PIV employing a single CCD camera

Author(s): Gogineni, S.; Goss, L.; Pestian, D.; Rivir, R.

Author Affiliation: Innovative Sci. Solutions, Inc., Dayton, OH, USA

Journal: Experiments in Fluids vol.25, no.4 p.320-8

Publisher: Springer-Verlag,

Publication Date: Sept. 1998 Country of Publication: Germany

CODEN: EXFLDU ISSN: 0723-4864

SICI: 0723-4864(199809)25:4L.320:CDES;1-F

Material Identity Number: E866-98011

Language: English

Subfile: A

Copyright 1998, FIZ Karlsruhe

Abstract: An **extension** of two color particle image velocimetry (PIV) is described where the color images are recorded onto a single high-resolution (3060*2036 pixel) **color CCD sensor** . Unlike mono- **color CCD** sensors, this system not only eliminates the processing time and the subsequent digitization time of...

28/3,K/2 (Item 2 from file: 2)

DIALOG(R) File 2: INSPEC

(c) 2006 Institution of Electrical Engineers. All rts. reserv.

06635225 INSPEC Abstract Number: B9708-6140C-444, C9708-1250-177

Title: A new approach to vector median filtering based on space filling curves

Author(s): Regazzoni, C.S.; Teschioni, A.

Author Affiliation: Dept. of Biophys. & Electron. Eng., Genoa Univ., Italy

Journal: IEEE Transactions on Image Processing vol 6, no.7 p. 1025-37

Publisher: IEEE,

Publication Date: July 1997 Country of Publication: USA

CODEN: IIPRE4 ISSN: 1057-7149

SICI: 1057-7149(199707)6:7L.1025:AVMF;1-G

Material Identity Number: 0939-97007

U.S. Copyright Clearance Center Code: 1057-7149/97/\$10.00

Language: English

Subfile: B C

Copyright 1997, IEE

...Abstract: availability of a wide set of multidimensional information sources in different application fields (e.g., color cameras, multispectral remote sensing imagery devices, etc.) is the basis for the interest of image processing research on extensions of scalar nonlinear filtering approaches to multidimensional data filtering. A new approach to multidimensional median...

28/3,K/3 (Item 1 from file: 6)

DIALOG(R) File 6:NTIS

(c) 2006 NTIS, Intl Cpyrght All Rights Res. All rts. reserv.

1977939 NTIS Accession Number: AD-A312 469/0

High-Resolution Digital Two-Color PIV (D2CPIV) and its Application to High Freestream Turbulent Flows

(Final rept. 1 Nov 95-9 Jul 96)

Rivir, R.; Gogineni, S.; Trump, D.; Goss, L.; Pestian, D.

Wright Lab., Wright-Patterson AFB, OH. Corp. Source Codes: 101228000; 422730

Report No.: WL-TR-96-2086

16 Dec 95 13p Languages: English

Journal Announcement: GRAI9701

Product reproduced from digital image. Order this product from NTIS by: phone at 1-800-553-NTIS (U.S. customers); (703)605-6000 (other countries); fax at (703)321-8547; and email at orders@ntis.fedworld.gov. NTIS is located at 5285 Port Royal Road, Springfield, VA, 22161, USA.

NTIS Prices: PC A03/MF A01

An extension of two-color Particle Image Velocimetry (PIV) is described in which the recording media (color film) is replaced with a high-resolution (3060 x 2036 pixel) color CCD sensor . Incorporation of the sensor elim

```
File 344: Chinese Patents Abs Jan 1985-2006/Jan
         (c) 2006 European Patent Office
File 347: JAPIO Dec 1976-2005/Dec (Updated 060404)
         (c) 2006 JPO & JAPIO
File 350: Derwent WPIX 1963-2006/UD=200658
         (c) 2006 The Thomson Corporation
File 371: French Patents 1961-2002/BOPI 200209
         (c) 2002 INPI. All rts. reserv.
                Description
Set
        Items
                FILE() (NAME?? OR EXT OR EXTENSION) OR EXT OR EXTENSION??
       225523
S1
                (ENCOD? OR CODE?? OR CODING OR MAP? OR LINK???) (3N) S1
S2
         2642
                (CHANG? OR MODIFY??? OR MODIFIES OR MODIFICATION OR EDIT???
        26008
S3
              OR CORERECT ??? OR INDICAT? OR FLAG? OR RECORD ???) (3N) (LETTER-
             ?? OR CASE OR (UPPER OR LOWER OR TITLE OR SENTENCE) () CASE OR -
             CAPITALI? OR (REVERSE OR BLINK???) () VIDEO)
                 (JPEG OR JPG OR GIF OR TIF OR PCX OR TXT OR DOC OR PDF OR -
S4
             BMP) (3N) S3
                AUTOMAT? (3N) (S3 OR S4)
S5
          235
                 (SENSOR OR DETECT? OR SENSING) (3N) (ORIENTAT??? OR ROTAT???
       283745
S6
             OR POSITION OR LANDSCAPE OR PORTRAIT OR REVERSE?? OR UPSIDE (-
             ) DOWN OR RIGHT()SIDE()UP OR 90()DEGREE?? OR CLOCKWISE OR CLOC-
             K()WISE OR COUNTERCLOCKWISE OR COUNTER()CLOCKWISE OR COLOR?? -
             OR COLOUR?? O
                 (ATTRIBUTE?? OR FEATURE?? OR INFORMATION OR DOCUMENT OR CH-
        10053
S7
             ARACTERISTIC) (3N) S6
                AU=(DEBRITO, D? OR DEBRITO D?)
S8
                (DIGITAL???() IMAG? OR PICTURE?? OR PHOTO OR PHOTOS OR PHOT-
        62986
S9
             OGRAPH?? OR LOGO?? OR ICON?? OR GLYPH?? OR GRAPHIC? OR GRAPHIX
              OR PICTOGRAM?? OR PICTOGRAPH?? OR SYMBOL?? OR PATTERN?? OR I-
             MAG??? OR BIT()MAP??)(3N)(ENCOD? OR CODE?? OR CODING)
                 (CAMERA?? OR CCD OR (CAPTUR??? OR CHARGE()COUPLED OR IMAG?-
       466170
S10
             ) () DEVICE??)
S11
            0
                S2(3N)S5
                S2(S)S5
S12
            0
                S1(3N)S5
            0
S13
                 (S1 OR S2) (3N) (S6 OR S7)
          100
S14
                 S14(3N)S3
            0
S15
            O
                 S14(S)S3
S16
                 (JPEG OR JPG OR GIF OR TIF OR PCX OR TXT OR DOC OR PDF OR -
            n
S17
             BMP) (3N) S14
                 S14(3N)(S9 OR S10)
            0
S18
                 S14 AND (S9 OR S10)
S19
            8
                 S19 NOT (FOCAL OR MICROSPHERES)
S20
            6
                 (S6 OR S7) (3N) (S9 OR S10)
S21
         3782
                 (S1 OR S2) (3N) S3
S22
           25
                 S22 (3N) S21
            0
S23
                 S22(S)S21
            0
S24
            0
                 S22 AND S21
S25
                 (S14 OR S21 OR S22) AND S8
S26
            1
                 (JPEG OR JPG OR GIF OR TIF OR PCX OR TXT OR DOC OR PDF OR -
S27
             BMP) AND S22
                 S22(20N)(S6 OR S7 OR S9 OR S10)
S28
            1
            24
                 S22 NOT AD=20031001:20060919/PR
S29
                 S29 AND IC=G06K?
S30
            1
                 S30 NOT SIM
S31
            n
                 EDIT(3N) (S1 OR S2) (3N) (JPEG OR JPG OR GIF OR TIF OR PCX OR
S32
              TXT OR DOC OR PDF OR BMP)
                 S29 NOT (S20 OR S28 OR S30)
S33
            22
                 ((UPPER OR LOWER OR TITLE OR SENTENCE)()CASE OR CAPITALI? -
S34
            17
```

OR (REVERSE OR BLINK???) () VIDEO) (3N) (S1 OR S2)

S35	0 (CHANG? OR MODIFY??? OR MODIFIES OR MODIFICATION OR EDIT???
	OR CORERECT??? OR INDICAT? OR FLAG? OR RECORD???) (3N) S34
S36	17 S34 NOT AD=20031001:20060919/PR
S37	17 S36 NOT (S20 OR S28 OR S30 OR S33)
S38	0 S37 NOT (GROMMET OR COACH OR POWER OR STRUCTURE OR VACUUM -
	OR POLYPROPYLENE OR MOTOR OR HINGE OR KEYBOARD OR FIBER OR DI-
	SC OR CLEANING OR MACHINE OR TOOL OR CASE OR CARDBOARD)

.

4/3,K/1 (Item 1 from file: 347)

DIALOG(R) File 347: JAPIO

(c) 2006 JPO & JAPIO. All rts. reserv.

06279162 **Image available**

IMAGE-PICKUP DEVICE

PUB. NO.: 11-220751 [JP 11220751 A] PUBLISHED: August 10, 1999 (19990810)

INVENTOR(s): ASAMURA MASAKO HATANO YOSHIKO

SUGIURA HIROAKI KUNO TETSUYA

APPLICANT(s): MITSUBISHI ELECTRIC CORP APPL. NO.: 10-021198 [JP 9821198] FILED: February 02, 1998 (19980202)

ABSTRACT

 \dots in accordance with the compression rate which a mode signal for compression rate adjustment of **JPEG** picture compression **indicates**. Then, in the **case** of the mode signal of high compression rate, a signal from the color restoring means...

(Item 1 from file: 347) 20/3,K/1

DIALOG(R) File 347: JAPIO

(c) 2006 JPO & JAPIO. All rts. reserv.

Image available 08005265

CAMERA

PUB. NO.: 2004-118024 [JP 2004118024 A]

April 15, 2004 (20040415) PUBLISHED:

INVENTOR(s): NAKA YOJI

APPLICANT(s): FUJI PHOTO FILM CO LTD

2002-283501 [JP 2002283501] APPL. NO.: September 27, 2002 (20020927) FILED:

CAMERA

ABSTRACT

PROBLEM TO BE SOLVED: To provide a camera which is small in size and is nevertheless capable of detecting a plurality of movements...

... barrier blade 172, the opening and closing detection of the shutter blade 171 and the detection of the extension position of a lens barrel 170 according to the zoom operation are sequentially conducted by the...

20/3,K/2 (Item 2 from file: 347)

DIALOG(R) File 347: JAPIO

(c) 2006 JPO & JAPIO. All rts. reserv.

Image available

INFORMATION PROCESSOR, FILE NAME GENERATION METHOD AND RECORDING MEDIUM RECORDING FILE NAME GENERATION CONTROL PROGRAM

PUB. NO.: 10-289137 [JP 10289137 A] PUBLISHED: October 27, 1998 (19981027)

OTANI KAZUO INVENTOR(s):

OKADA TORU

APPLICANT(s): CANON ELECTRON INC [365668] (A Japanese Company or

Corporation), JP (Japan)

APPL. NO.: 09-094156 [JP 9794156]

April 11, 1997 (19970411) FILED:

...JAPIO KEYWORD: Charge Transfer Elements, CCD & BBD); R102 (APPLIED ELECTRONICS...

ABSTRACT

 \dots index program 10 for extracting the respective pieces of the index name by detecting the position of information provided in the file the delimiter from the file name generated by the file name generation program 9...

(Item 3 from file: 347) 20/3,K/3.

DIALOG(R) File 347: JAPIO

(c) 2006 JPO & JAPIO. All rts. reserv.

05502016 **Image available** DRIVING CONTROL METHOD FOR IMAGE PICKUP ELEMENT, IMAGE PICKUP DEVICE, IMAGE PICKUP CONTROLLER AND IMAGE PICKUP SYSTEM

PUB. NO.: 09-116816 [JP 9116816 A] PUBLISHED: May 02, 1997 (19970502)

INVENTOR(s): FUKUI HIROSHI

APPLICANT(s): SONY CORP [000218] (A Japanese Company or Corporation), JP

(Japan)

APPL. NO.: 07-274525 [JP 95274525] FILED: October 23, 1995 (19951023)

...JAPIO KEYWORD: Charge Transfer Elements, CCD & BBD)

ABSTRACT

... 23 is supplied to the image pickup device 10 as an external horizontal synchronizing signal **EXT** -HD. A **position sensor** 3 **detects** a body to be examined 2 on a transfer path 1 and generates a trigger...

20/3,K/4 (Item 4 from file: 347)

DIALOG(R) File 347: JAPIO

(c) 2006 JPO & JAPIO. All rts. reserv.

03103511 **Image available**

AUTOMATIC FOCUSING DEVICE FOR CAMERA

PUB. NO.: 02-079011 [JP 2079011 A] PUBLISHED: March 19, 1990 (19900319)

INVENTOR(s): SUZUKI NOBORU

FUJISHI SHIGEO

APPLICANT(s): ASAHI OPTICAL CO LTD [350041] (A Japanese Company or

Corporation), JP (Japan) 63-230925 [JP 88230925]

APPL. NO.: 63-230925 [JP 88230925] FILED: September 14, 1988 (19880914)

JOURNAL: Section: P, Section No. 1060, Vol. 14, No. 272, Pg. 120, June

12, 1990 (19900612)

AUTOMATIC FOCUSING DEVICE FOR CAMERA

... JAPIO KEYWORD: Charge Transfer Elements, CCD & BBD)

ABSTRACT

... To perform accurate AF control even when zooming is carried out during overlap integration by **detecting** a lens **extension position** conversion coefficient at the start and end of the integration and determining a coefficient according...

... a lens CPU 66 as an arithmetic means. Further, the body; is equipped with a CCD 17 for AF (automatic focusing) and a CCD processing circuit 18 which detects the quantity of defocusing of the photographic lens from the output of the CCD 17 for AF. Then the mean value of Kval (lens extension quantity conversion coefficient) at...

20/3,K/5 (Item 1 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2006 The Thomson Corporation. All rts. reserv.

0015921272 - Drawing available WPI ACC NO: 2006-452911/200646 XRPX Acc No: N2006-370826 Push-pull type camera module for mobile phone, has switching modules which detect extension and retraction of inner barrel, and rotation of extended inner barrel respectively

Patent Assignee: SAMSUNG ELECTRONICS CO LTD (SMSU)

Inventor: KIM H; KIM J

Patent Family (1 patents, 1 countries)
Patent Application

Number Kind Date Number Kind Date Update US 20060124746 A1 20060615 US 2005295937 A 20051207 200646 B

Priority Applications (no., kind, date): KR 2004104548 A 20041211

Patent Details

Number Kind Lan Pg Dwg Filing Notes US 20060124746 A1 EN 18 11

Push-pull type camera module for mobile phone, has switching modules which detect extension and retraction of inner barrel...

Original Titles:

Push-pull type camera module for portable wireless teminal

Alerting Abstract ... ADVANTAGE - By using the switching modules the camera mode is automatically turned on when the module is extended and the preview picture is...

...10 push-pull type camera module...

Title Terms.../Index Terms/Additional Words: CAMERA;

Original Publication Data by Authority

Original Abstracts:

Disclosed is a push-pull type **camera** module for a portable wireless terminal in which a hollow outer lens barrel is installed...

What is claimed is: b 1 /b . A push-pull type **camera** module for a portable wireless terminal, comprising:a hollow outer lens barrel installed at a...

...picture when the inner barrel is extended; a first switching module installed at a predetermined **position** to **detect** the **extension** and retraction of the inner barrel; anda second switching module installed at a predetermined...

20/3,K/6 (Item 2 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2006 The Thomson Corporation. All rts. reserv.

0013663729 - Drawing available

WPI ACC NO: 2003-760093/ XRPX Acc No: N2003-608988

Camera , has built-in type lens which performs expansion by position detection via stepping motor at time of switching of power supply to on condition

Patent Assignee: FUJI PHOTO FILM CO LTD (FUJF)

Inventor: HAGIWARA T

Patent Family (1 patents, 1 countries)

Patent Application

Number Kind Date Number Kind Date Update
JP 2003233114 A 20030822 JP 200235396 A 20020213 200372 B

Priority Applications (no., kind, date): JP 200235396 A 20020213

Patent Details

Number Kind Lan Pg Dwg Filing Notes JP 2003233114 A JA 4 3

Camera , has built-in type lens which performs expansion by position detection via stepping motor at...

Original Titles: CAMERA

Alerting Abstract ... NOVELTY - A camera (10) is equipped with a built-in type lens (12), which performs expansion by the...

...to an on condition in the power supply switch (18). When the lens reaches an ${\tt extension}$ ${\tt position}$, a photo ${\tt sensor}$ (16) reads the positional information of the lens.USE - ${\tt Camera}$.

 \dots DESCRIPTION OF DRAWINGS - The figure shows the sectional drawing of the camera .

...10 Camera

. . .

26/3,K/1 (Item 1 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2006 The Thomson Corporation. All rts. reserv.

0015005475 - Drawing available WPI ACC NO: 2005-353380/200536

XRPX Acc No: N2005-288445

Digital image attributes e.g. image orientation, conveying method, involves encoding orientation of digital imaging device using case of letters in extension of file name associated with digital image by module encode attributes

Patent Assignee: DEBRITO D N (DEBR-I); HEWLETT-PACKARD DEV CO LP (HEWP)

Inventor: **DEBRITO D N**

Patent Family (2 patents, 2 countries)

Patent Application

Update Kind Date Kind Date Number Number US 2003677194 A 20031001 A1 20050407 200536 B US 20050074170 A 20041001 200536 E 20050421 JP 2004289568 JP 2005110287 Α

Priority Applications (no., kind, date): US 2003677194 A 20031001

Patent Details

Number Kind Lan Pg Dwg Filing Notes US 20050074170 A1 EN 13 7 JP 2005110287 A JA 9

Inventor: DEBRITO D N

...NOVELTY - The method involves **detecting orientation** of digital **imaging device** relative to a reference orientation by an orientation detection subsystem. A digital image is captured...

Original Publication Data by Authority

Inventor name & address:
 DEBRITO DANIEL N ...

... Debrito, Daniel N

28/3,K/1 (Item 1 from file: 347)

DIALOG(R) File 347: JAPIO

(c) 2006 JPO & JAPIO. All rts. reserv.

06548835 **Image available**
ELECTRONIC CAMERA

PUB. NO.: 2000-134564 [JP 2000134564 A]

PUBLISHED: May 12, 2000 (20000512)

INVENTOR(s): TSUDA YUTAKA APPLICANT(s): NIKON CORP

APPL. NO.: 10-303718 [JP 98303718] FILED: October 26, 1998 (19981026)

ABSTRACT

...calculating the passage time from the origin date till the photographing date and setting the **file** name in the **case** of **recording** the image signal based on the passage time.

SOLUTION: A CPU: 8 of an electronic ${\it camera}$ 100 decides the file name and displays and moves the selecting cursor of a liquid..

33/3,K/1 (Item 1 from file: 347)

DIALOG(R) File 347: JAPIO

(c) 2006 JPO & JAPIO. All rts. reserv.

08237425 **Image available**

IMAGE PROCESSING APPARATUS, IMAGE PROCESSING METHOD AND PROGRAM FOR IMAGE PROCESSING

PUB. NO.: 2004-350185 [JP 2004350185 A]
PUBLISHED: December 09, 2004 (20041209)

PUBLISHED: December 09, 2004
INVENTOR(s): ISHIDA GORO

INVENTOR(s): ISHIDA GORO
APPLICANT(s): SEIKO EPSON CORP

APPL. NO.: 2003-147322 [JP 2003147322]

FILED: May 26, 2003 (20030526)

Cyrem .
ABSTRACT

... of layout data is instructed to an internal layout preparing part 10, which prepares a **file name** with a driver **letter indicating** that image data are supplied from the BIP out of an ID of the print...

...name to an RGB expanding part 17. In the case of a memory card, a **file**name with a drive letter indicating that image data are supplied
from the memory card is prepared out of the image...

33/3,K/2 (Item 2 from file: 347)

DIALOG(R) File 347: JAPIO

(c) 2006 JPO & JAPIO. All rts. reserv.

07546591 **Image available**

METHOD OF EXECUTING CONTROL PROGRAM, CONTROL PROGRAM AND WORKPIECE TRANSFER SYSTEM

PUB. NO.: 2003-040431 [JP 2003040431 A] PUBLISHED: February 13, 2003 (20030213)

PUBLISHED: February 13, 2003 INVENTOR(s): KANBAYASHI SATOSHI

> NOJO SATOSHI INOUE MASAKO

INOUE MASARO

APPLICANT(s): HONDA MOTOR CO LTD

APPL. NO.: 2001-223492 [JP 2001223492] FILED: July 24, 2001 (20010724)

ABSTRACT

PROBLEM TO BE SOLVED: To cope with the control object even in the **case** of its **change** or **extension** by changing only a parameter without changing a control program, in a control method of...

33/3,K/3 (Item 3 from file: 347)

DIALOG(R) File 347: JAPIO

(c) 2006 JPO & JAPIO. All rts. reserv.

07248481 **Image available**

INFORMATION PROCESSOR AND METHOD FOR PROCESSING INFORMATION AND PROGRAM STORAGE MEDIUM

PUB. NO.: 2002-116935 [JP 2002116935 A]

PUBLISHED: April 19, 2002 (20020419)

INVENTOR(s): MORITA TOSHIHIRO

TANABE MITSURU

APPLICANT(s): SONY CORP

APPL. NO.: 2000-311797 [JP 2000311797] FILED: October 12, 2000 (20001012)

ABSTRACT ·

... file name is not present, in steps S5-S8, the drive letter of the acquired **file** name is **changed** to the drive **letter** of a drive connected at present and a new file name is generated. In a...

33/3,K/4 (Item 4 from file: 347)

DIALOG(R) File 347: JAPIO

(c) 2006 JPO & JAPIO. All rts. reserv.

06839619 **Image available**
REMOTE MONITOR AND CONTROL SYSTEM

PUB. NO.: 2001-067114 [JP 2001067114 A]

PUBLISHED: March 16, 2001 (20010316)

INVENTOR(s): ISHIHARA AKIRA

APPLICANT(s): MITSUBISHI ELECTRIC CORP APPL. NO.: 11-237834 [JP 99237834] FILED: August 25, 1999 (19990825)

ABSTRACT

... monitor and control system capable of executing efficient system development and flexibly corresponding to system **extension** / **change** in the **case** of executing monitor and control by using a remote monitor and control terminal.

SOLUTION: The...

33/3,K/5 (Item 5 from file: 347)

DIALOG(R) File 347: JAPIO

(c) 2006 JPO & JAPIO. All rts. reserv.

03289574 **Image available**

DRAW (DIRECT READ AFTER WRITE) TYPE OPTICAL DISK FOR DATA FILE SYSTEM

PUB. NO.: 02-265074 [JP 2265074 A] PUBLISHED: October 29, 1990 (19901029)

INVENTOR(s): TATEISHI MASARU

APPLICANT(s): MITSUBISHI ELECTRIC CORP [000601] (A Japanese Company or

Corporation), JP (Japan)

APPL. NO.: 01-084873 [JP 8984873] FILED: April 05, 1989 (19890405)

JOURNAL: Section: P, Section No. 1155, Vol. 15, No. 23, Pg. 41,

January 18, 1991 (19910118)

ABSTRACT

...By the areas 5, 6, a directory area 7 is formed. For instance, in the case of changing a file name (D) of a file member 4 to (Z), first of all, a file name registration...

33/3,K/6 (Item 6 from file: 347)

DIALOG(R) File 347: JAPIO

(c) 2006 JPO & JAPIO. All rts. reserv.

02274397 **Image available**
OUTBOARD MACHINE

PUB. NO.: 62-191297 [JP 62191297 A] PUBLISHED: August 21, 1987 (19870821)

INVENTOR(s): KAWAMURA HIROSHI

HAGA NOBUO

YAMAGUCHI YOSHIHIRO

APPLICANT(s): HONDA MOTOR CO LTD [000532] (A Japanese Company or

Corporation), JP (Japan)

APPL. NO.: 61-032637 [JP 8632637]

FILED: February 17, 1986 (19860217)

JOURNAL: Section: M, Section No. 665, Vol. 12, No. 39, Pg. 79,

February 05, 1988 (19880205)

ABSTRACT

... and operated by a go-ahead/go-stern change lever 15 pivotally supported above the **extension** case 3 via a change rod 16. The case 3 is composed of an upper main case 3a having a stern bracket 2 and...

33/3,K/7 (Item 7 from file: 347)

DIALOG(R) File 347: JAPIO

(c) 2006 JPO & JAPIO. All rts. reserv.

01655819 **Image available**

REPEAT CONTROLLING SYSTEM IN KEYBOARD

PUB. NO.: 60-134319 [JP 60134319 A]

PUBLISHED: July 17, 1985 (19850717)

INVENTOR(s): YOKOMICHI HIROAKI

APPLICANT(s): TOSHIBA CORP [000307] (A Japanese Company or Corporation), JP

(Japan)

APPL. NO.: 58-242605 [JP 83242605] FILED: December 22, 1983 (19831222)

JOURNAL: Section: P, Section No. 408, Vol. 09, No. 299, Pg. 43,

November 27, 1985 (19851127)

ABSTRACT

...in accordance with firmware contained in a memory 13 by a microprocessor 12. In this **case**, a repeat **extension flag** 14 for setting and storing whether a repeat object key is extended or not is...

33/3,K/8 (Item 8 from file: 347)

DIALOG(R) File 347: JAPIO

(c) 2006 JPO & JAPIO. All rts. reserv.

01136042 **Image available**

VEHICLE WITH AUTOMATIC SPEED CHANGE GEAR

PUB. NO.: 58-073442 [JP 58073442 A] PUBLISHED: May 02, 1983 (19830502)

INVENTOR(s): TAKANO TOSHIO

APPLICANT(s): FUJI HEAVY IND LTD [000534] (A Japanese Company or

Corporation), JP (Japan)

APPL. NO.: 56-172526 [JP 81172526]

FILED: October 27, 1981 (19811027)

JOURNAL: Section: M, Section No. 231, Vol. 07, No. 169, Pg. 16, July

26, 1983 (19830726)

ABSTRACT

...sealing of an oil pump 21 is united with the rear end of a speed change 6, and an extension case 33 is connected through this gear case partition body 32. Then, a transfer unit 34 containing...

33/3,K/9 (Item 9 from file: 347)

DIALOG(R) File 347: JAPIO

(c) 2006 JPO & JAPIO. All rts. reserv.

01062236 **Image available** DATA TRANSMITTING DEVICE

PUB. NO.:

57-212536 [JP 57212536 A]

PUBLISHED:

December 27, 1982 (19821227)

INVENTOR(s): APPLICANT(s): MITSUBISHI ELECTRIC CORP [000601] (A Japanese Company or

YAMANE SHINGO

Corporation), JP (Japan)

APPL. NO.: FILED:

56-099371 [JP 8199371] June 24, 1981 (19810624)

JOURNAL:

Section: P, Section No. 185, Vol. 07, No. 70, Pg. 20, March

23, 1983 (19830323)

ABSTRACT

PURPOSE: To easily mount input and output devices even in case of extension or change of a system, by using a bus in a controlling place and a place to...

33/3,K/10 (Item 10 from file: 347)

DIALOG(R) File 347: JAPIO

(c) 2006 JPO & JAPIO. All rts. reserv.

Image available 00814330

SPECIAL CLUTCH

PUB. NO.:

56-134630 [JP 56134630 A]

PUBLISHED:

October 21, 1981 (19811021)

INVENTOR(s):

AOKI HIROSHI

(Japan)

APPL. NO.:

55-037542 [JP 8037542]

FILED:

March 26, 1980 (19800326)

JOURNAL:

Section: M, Section No. 108, Vol. 06, No. 14, Fg. 147,

January 27, 1982 (19820127)

ABSTRACT

APPLICANT(s): TEIJIN LTD [000300] (A Japanese Company or Corporation), JP

... being identical without skidding even when the clutch is repeatedly put on and off in case of changing the extension factor of a biaxial extension device.

(Item 11 from file: 347) 33/3,K/11

DIALOG(R) File 347: JAPIO

(c) 2006 JPO & JAPIO. All rts. reserv.

00806957 **Image available** STATE HISTORY STORAGE DEVICE

56-127257 [JP 56127257 A] PUB. NO.: PUBLISHED: October 05, 1981 (19811005) INVENTOR(s): ONO YOSHIHARU

APPLICANT(s): NEC CORP [000423] (A Japanese Company or Corporation), JP

(Japan)

APPL. NO.: 55-031423 [JP 8031423] FILED: March 11, 1980 (19800311)

JOURNAL: Section: P, Section No. 96, Vol. 06, No. 2, Pg. 57, January

08, 1982 (19820108)

ABSTRACT

... the decoder 9. And the control signal is set at the control register 5. In **case** the register 5 **indicates** the data width **extension** mode or the time extension mode, an indication of writing is given to a memory...

33/3,K/12 (Item 12 from file: 347)

DIALOG(R) File 347: JAPIO

(c) 2006 JPO & JAPIO. All rts. reserv.

00707079 **Image available**

RECORDING DEVICE

PUB. NO.: 56-027379 [JP 56027379 A] PUBLISHED: March 17, 1981 (19810317)

INVENTOR(s): IWASAKI KYUHACHIRO FUKAZAWA TAKAO

APPLICANT(s): RICOH CO LTD [000674] (A Japanese Company or Corporation), JP

(Japan)

APPL. NO.: 54-102589 [JP 79102589] FILED: August 11, 1979 (19790811)

JOURNAL: Section: M, Section No. 70, Vol. 05, No. 80, Pg. 1, May 26,

1981 (19810526)

ABSTRACT

... bars is connected with an accordion link and thus the setting of the pitch of **letter** and the **change** of **extension** ratio thereof are made optionally and easily...

33/3,K/13 (Item 1 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2006 The Thomson Corporation. All rts. reserv.

0014574161 - Drawing available

WPI ACC NO: 2004-756119/ XRPX Acc No: N2004-597025

Printing apparatus, has data modification part to modify original image width in subscan direction and controller to record image with its length in main scan direction modified by shifting writing clock in image recording

Patent Assignee: DAINIPPON SCREEN MFG CO LTD (DNIS); DAINIPPON SCREEN

SEIZO KK (DNIS) Inventor: TASAKA K

Patent Family (2 patents, 2 countries)

Patent Application

Update Number Kind Date Number Kind Date US 20040196357 A1 20041007 US 2004791906 A 20040304 200474 JP 200399880 A 20030403 200474 E JP 2004306299 Α 20041104

Priority Applications (no., kind, date): JP 200399880 A 20030403

Patent Details

Number Kind Lan Pg Dwg Filing Notes US 20040196357 Al EN 33 33

JP 2004306299 A JA 25

Original Publication Data by Authority

Original Abstracts:

...in image recording. This allows reduction in the amounts of computation as compared with a **case** where **modification** against **extension** of a paper in the main scan direction and subscan direction is performed only by

33/3,K/14 (Item 2 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2006 The Thomson Corporation. All rts. reserv.

0012640482 - Drawing available WPI ACC NO: 2002-489622/200252

XRPX Acc No: N2002-387119

Brake light system for vehicles, comprises stop indicator sign which is extended, retracted, when brake lights are ON, OFF respectively, and is illuminated in extended state

Patent Assignee: ORTEGA I M (ORTE-I)

Inventor: ORTEGA I M

 Number
 Kind
 Date
 Number
 Kind
 Date
 Update

 US 20020063624
 A1 20020530
 US 2000726672
 A 20001129
 200252
 B

 US 6426696
 B1 20020730
 US 2000726672
 A 20001129
 200254
 E

Priority Applications (no., kind, date): US 2000726672 A 20001129

Patent Details

Number Kind Lan Pg Dwg Filing Notes US 20020063624 Al EN 5 2

Original Publication Data by Authority

Original Abstracts:

...deactivated the stop indicator sign is retracted into the cavity by the electrically driven retraction/ extension mechanism. The stop indicator sign has letters thereon constructed from a light transmissive material that spell a desired stop message which is...

...deactivated the stop indicator sign is retracted into the cavity by the electrically driven retraction/ extension mechanism. The stop indicator sign has letters thereon constructed from a light transmissive material that spell a desired stop message which is...

...are deactivated the stop indicator sign is retracted into the cavity by the electrically driven retraction /extension mechanism; the stop indicator sign having letters thereon constructed from a light transmissive material and spelling a desired stop message which...

...vehicle are deactivated the stop indicator sign is retracted into the cavity by the electrically **driven** retraction/extension mechanism; the

stop indicator **sign** having letters thereon constructed from a light transmissive material and spelling a desired stop message...

33/3,K/15 (Item 3 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2006 The Thomson Corporation. All rts. reserv.

0012626504 - Drawing available WPI ACC NO: 2002-475251/200251 XRPX Acc No: N2002-375098

Information processor for searching desired music file, changes drive identification symbol included in acquired filename, based on acquired drive information

Patent Assignee: MORITA T (MORI-I); SONY CORP (SONY); TANABE M (TANA-I)

Inventor: MORITA T; TANABE M

Patent Family (3 patents, 2 countries)

Patent Application Number Kind Date Number Kind Date Update JP 2002116935 Α 20020419 JP 2000311797 Α 20001012 200251 US 20020069205 A1 20020606 US 2001974383 Α 20011010 200251 US 7007012 B2 20060228 US 2001974383 Α 20011010 200616 E

Priority Applications (no., kind, date): JP 2000311797 A 20001012

Patent Details

Number Kind Lan Pg Dwg Filing Notes
JP 2002116935 A JA 10 7
Original Publication Data by Authority

Original Abstracts:

...is made that the file name does not exist, a drive letter in the obtained **file name** is **changed** to the drive **letter** of a currently-connected drive, thereby generating a new file name. The music piece managing...

...is made that the file name does not exist, a drive letter in the obtained **file** name is **changed** to the drive **letter** of a currently-connected drive, thereby generating a new file name. The music piece managing...

33/3,K/16 (Item 4 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2006 The Thomson Corporation. All rts. reserv.

0011090905 - Drawing available

WPI ACC NO: 2002-026483/

Related WPI Acc No: 2001-266202

XRPX Acc No: N2002-020413

Central heating system reservoir has off set liq. inlet and outlet

Patent Assignee: CREMIN T (CREM-I)

Inventor: CREMIN T

Patent Family (6 patents, 94 countries)

Patent Application
Number Kind Date Number

Kind Date Update WO 2001086212 A1 20011115 WO 2001IE64 Α 20010511 200203 20011120 AU 200155036 200219 E AU 200155036 Α Α 20010511 A1 20021211 EP 2001928174 EP 1264146 A 20010511 200301 E

WO 2001IE64 A 20010511 EP 2001928174 A 20010511 200328 E В1 20030416 EP 1264146 WO 2001IE64 A 20010511 20030522 DE 60100191 A 20010511 200341 E DE 60100191 A 20010511 EP 2001928174 WO 2001IE64 A 20010511 WO 2001IE64 20010511 200367 E 20030911 Α US 20030168517 Α1 US 2003276283 A 20030505

Priority Applications (no., kind, date): IE 2000357 A 20000511; IE 2001336 A 20010403

Patent Details

Number Kind Lan Pg Dwg Filing Notes WO 2001086212 Al EN 16 4

National Designated States, Original: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW

Regional Designated States, Original: AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW MZ NL OA PT SD SE SL SZ TR TZ UG ZW
AU 200155036 A EN Based on OPI patent WO 2001086212
EP 1264146 A1 EN PCT Application WO 2001IE64

Based on OPI patent WO 2001086212

Regional Designated States, Original: AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT RO SE SI TR

EP 1264146 B1 EN PCT Application WO 2001IE64
Based on OPI patent WO 2001086212

Regional Designated States, Original: AL AT BE CH CY DE DK ES FI FR GB GR

IE IT LI LT LU LV MC MK NL PT RO SE SI TR
DE 60100191 E DE Application

E 60100191 E DE Application EP 2001928174
PCT Application WO 2001IE64
Based on OPI patent EP 1264146
Based on OPI patent WO 2001086212

US 20030168517 A1 EN PCT Application WO 2001IE64

Alerting Abstract ... The unnecessary venting of the heating system is prevented. The system configuration can easily be changed in case of additional building extension construction...

33/3,K/17 (Item 5 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2006 The Thomson Corporation. All rts. reserv.

0010234657 - Drawing available

WPI ACC NO: 2000-546258/ XRPX Acc No: N2000-404171

Head case of inkjet type recording head, integrates extension portion of fixed base with inner wall surface of accommodation unit

Patent Assignee: SEIKO EPSON CORP (SHIH)

Inventor: TAKAHASHI T

Patent Family (1 patents, 1 countries)

Patent Application

Number Kind Date Number Kind Date Update
JP 2000211125 A 20000802 JP 199913139 A 19990121 200050 B

Priority Applications (no., kind, date): JP 199913139 A 19990121

Patent Details

Number Kind Lan Pg Dwg Filing Notes

JP 2000211125 A JA 9 6

Head case of inkjet type recording head, integrates extension portion of fixed base with inner wall surface of accommodation unit

33/3,K/18 (Item 6 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2006 The Thomson Corporation. All rts. reserv.

0009041385 - Drawing available

WPI ACC NO: 1998-599373/ XRPX Acc No: N1998-466763

Data recording device e.g. tape streamer - records predetermined number of data blocks after recording uncompressed data if they are present

Patent Assignee: SONY CORP (SONY)

Inventor: HORIKOSHI T

Patent Family (2 patents, 2 countries)

Patent Application

Kind Number Kind Date Update Number Date JP 10269029 Α 19981009 JP 199788855 Α 19970324 199851 US 6154329 Δ 20001128 US 199844462 A 19980319 200063

Priority Applications (no., kind, date): JP 199788855 A 19970324

Patent Details

Number Kind Lan Pg Dwg Filing Notes

JP 10269029 A JA 8 5

Original Publication Data by Authority

Original Abstracts:

...occurred in consequence of the compression processing. Then, the compressed data is recorded on a **recording** medium in the **case** where the data **extension** has not detected, and on the other hand, in the case where the data extension...

33/3,K/19 (Item 7 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2006 The Thomson Corporation. All rts. reserv.

0008304939 - Drawing available WPI ACC NO: 1997-415528/199738

XRPX Acc No: N1997-346223

Information processor, file name changing method and recording medium on which file name changing program is stored - has device for changing first file name given according to specifications of operating system used for generation-of-file/change-of-file-name to second file name according to specifications of system

Patent Assignee: SONY CORP (SONY)

Inventor: INOKUCHI T; KANEKO Y; TAIRA K; UDAGAWA O

Patent Family (4 patents, 6 countries)

Patent Application

Number Number Kind Date Kind Date Update WO 1997029426 A1 19970814 WO 1997JP321 A 19970207 199738 A1 19980128 EP 821309 EP 1997902622 A 19970207 199809 E

WO 1997JP321 A 19970207

JP 09528389 X 19980630 JP 1997528389 A 19970207 199836 E

WO 1997JP321 A 19970207

US 6144969 A 20001107 WO 1997JP321 A 19970207 200059 E

US 1998930820 A 19980108

Priority Applications (no., kind, date): JP 199648211 A 19960209

Patent Details

Number Kind Lan Pg Dwg Filing Notes

WO 1997029426 A1 JA 101 47

National Designated States, Original: JP US

Regional Designated States, Original: DE FI FR GB

EP 821309 A1 EN 55 4 PCT Application WO 1997JP321

Based on OPI patent WO 1997029426

Regional Designated States, Original: DE FR GB

JP 09528389 X JA PCT Application WO 1997JP321

Based on OPI patent WO 1997029426

US 6144969 A EN PCT Application WO 1997JP321

Based on OPI patent WO 1997029426

Original Publication Data by Authority

Claims:

...on said first operating system; /br a first file name writing step for writing said first file name on said recording medium in the case where no same file name is found at said first same file name searching step; /br a first file name conversion...

...name on said recording medium; a first file name writing step for writing said first file name on said recording medium in the case where no same file name is found at said first same file name searching step; a first file name conversion...

33/3,K/20 (Item 8 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2006 The Thomson Corporation. All rts. reserv.

0007819152 - Drawing available

WPI ACC NO: 1996-447643/

Image recognition method for construction-industry field e.g. construction-installation business - involves producing level and perpendicular number instrumentation array data of dots to recognise outline and pause line of image

Patent Assignee: RICOH KK (RICO)

Inventor: NISHIMURA T

Patent Family (2 patents, 1 countries)

Patent Application

Date Update Kind Number Kind Date Number A 19950213 199645 JP 199523788 19960830 JP 8221571 Α B2 20040721 JP 199523788 A 19950213 200448 E JP 3545481

Priority Applications (no., kind, date): JP 199523788 A 19950213

Patent Details

Number Kind Lan Pg Dwg Filing Notes

JP 8221571 A JA 21 19

JP 3545481 B2 JA 23 Previously issued patent JP 08221571

Alerting Abstract ...recognised. Recognises reliably short wall in drawing or short line in document. Easily produces and changes

construction drawings in **case** of **extension**, alteration, production, or change of table format. Easily finds incorrect recognition location and portion which...

33/3,K/21 (Item 9 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2006 The Thomson Corporation. All rts. reserv.

0006490238

WPI ACC NO: 1993-296751/ XRPX Acc No: N1993-228736

Reduced instruction set microprocessor for input-output data - uses additional bits of instruction word as address extension to distinguish between identical addresses in two sets of registers

Patent Assignee: PHILIPS GLOEILAMPENFAB NV (PHIG); PHILIPS PATENTVERWALTUNG GMBH (PHIG); US PHILIPS CORP (PHIG)

Inventor: HARDEWIG C; ZEIDLER H; ZEIDLER H C
Patent Family (4 patents, 4 countries)

Application Patent Kind Number Kind Date Update Number Date EP 561457 A2 19930922 EP 1993200713 A 19930311 199338 DE 4208459 A1 19930923 DE 4208459 A 19920317 199339 А3 19940713 EP 1993200713 Α 19930311 199528 EP 561457 US 5564057 Α 19961008 US 199365109 A 19930310 199646 US 1994353170 A 19941208

Priority Applications (no., kind, date): DE 4208459 A 19920317

Patent Details

Number Kind Lan Ρg Dwg Filing Notes EP 561457 Α2 DE Regional Designated States, Original: DE FR GB DE 4208459 A 1 DE 6 A3 EN EP 561457 US 5564057 Α ΕN 6 3 Continuation of application US 199365109

Original Publication Data by Authority

Original Abstracts:

...position is used for the control bit, direct numbers in the instruction word can be indicated also in the case of extension.

33/3,K/22 (Item 10 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2006 The Thomson Corporation. All rts. reserv.

0004011208

WPI ACC NO: 1987-108045/

Backset-adjustable latch of cylindrical lock - with connecting pin pulled off retractor slide and pressed to set position of case fixing button

Patent Assignee: TONG LUNG METAL IND (TONG-N)

Inventor: FANG Y P

Patent Family (1 patents, 1 countries)
Patent Application

Number Kind Date Number Kind Date Update

US 4653787 A 19870331 US 1985762786 A 19850806 198715 B

Priority Applications (no., kind, date): US 1985762786 A 19850806

Patent Details

Number Kind Lan Pg Dwg Filing Notes

US 4653787 A EN 15 28

Alerting Abstract ...the spot of the case fixing button pop out in the second bore on the extension case so to change the backset of the latch from 60 mm to 70 mm. The latch bolt mechanism...

```
(c) 2006 European Patent Office
File 349:PCT FULLTEXT 1979-2006/UB=20060914UT=20060907
         (c) 2006 WIPO/Thomson
Set
                Description
        Items
       249770
                FILE()(NAME?? OR EXT OR EXTENSION) OR EXT OR EXTENSION??
S1
         5514
                (ENCOD? OR CODE?? OR CODING OR MAP? OR LINK???) (3N) S1
S2
                (CHANG? OR MODIFY??? OR MODIFIES OR MODIFICATION OR EDIT???
S3
        59698
              OR CORERECT??? OR INDICAT? OR FLAG? OR RECORD???) (3N) (LETTER-
             ?? OR CASE OR (UPPER OR LOWER OR TITLE OR SENTENCE)()CASE OR -
             CAPITALI? OR (REVERSE OR BLINK???) () VIDEO)
                (JPEG OR JPG OR GIF OR TIF OR PCX OR TXT OR DOC OR PDF OR -
S4
             BMP) (3N) S3
S5
          278
                AUTOMAT? (3N) (S3 OR S4)
S6
       109834
                (SENSOR OR DETECT? OR SENSING) (3N) (ORIENTAT??? OR ROTAT???
             OR POSITION OR LANDSCAPE OR PORTRAIT OR REVERSE?? OR UPSIDE (-
             ) DOWN OR RIGHT() SIDE() UP OR 90() DEGREE?? OR CLOCKWISE OR CLOC-
             K()WISE OR COUNTERCLOCKWISE OR COUNTER()CLOCKWISE OR COLOR?? -
             OR COLOUR?? O
S7
                (ATTRIBUTE?? OR FEATURE?? OR INFORMATION OR DOCUMENT OR CH-
             ARACTERISTIC) (3N) S6
                AU=(DEBRITO, D? OR DEBRITO D?)
S8
                (DIGITAL ???() IMAG? OR PICTURE?? OR PHOTO OR PHOTOS OR PHOT-
S9
             OGRAPH?? OR LOGO?? OR ICON?? OR GLYPH?? OR GRAPHIC? OR GRAPHIX
              OR PICTOGRAM?? OR PICTOGRAPH?? OR SYMBOL?? OR PATTERN?? OR I-
             MAG??? OR BIT()MAP??)(3N)(ENCOD? OR CODE?? OR CODING)
S10
       120882
                (CAMERA?? OR CCD OR (CAPTUR??? OR CHARGE()COUPLED OR IMAG?-
             )()DEVICE??)
          435
S11
                (S1 OR S2) (3N) (S9 OR S10)
                S11(40N)(S3 OR S4)
S12
S13
           12
                S11(S)(S3 OR S4)
                S13 NOT AD=20031001:20060914/PR
S14
           11
                S14 AND IC=G06K?
S15
            0
                S14(40N)(S6 OR S7)
S16
            0
                S14 NOT NUCLEIC
S17
           10
S18
           10
                IDPAT (sorted in duplicate/non-duplicate order)
                IDPAT (primary/non-duplicate records only)
S19
           10
S20
            9
                S19 NOT NETWORKED
           98
S21
                (S1 OR S2) (3N) S3
S22
            1
                (JPEG OR JPG OR GIF OR TIF OR PCX OR TXT OR DOC OR PDF OR -
             BMP) (3N) S21
S23
            1
                S21 (20N) S5
                S23 NOT S22
S24
            1
                S24 NOT WEB
S25
                S21(40N)(JPEG OR JPG OR GIF OR TIF OR PCX OR TXT OR DOC OR
S26
             PDF OR BMP)
S27
                S26 NOT S22 OR S24
                S27 NOT S19
S28
            3
                S28 NOT WEB
S29
            0
                S21(40N)(S6 OR S7)
S30
            0
           23
                S21 AND (S6 OR S7)
S31
S32
                S31(3N)(S9 OR S10)
```

File 348: EUROPEAN PATENTS 1978-2006/ 200637

```
(Item 1 from file: 348)
 20/3,K/1
DIALOG(R) File 348: EUROPEAN PATENTS
(c) 2006 European Patent Office. All rts. reserv.
00991424
Start code detecting apparatus for video data stream
Vorrichtung zur Startkodedetektierung für Videodatenstrom
Appareil de detection de code de depart pour le flux de donnees video
PATENT ASSIGNEE:
  Discovision Associates, (260275), 2355 Main Street, Suite 200, Irvine, CA
    92614, (US), (Applicant designated States: all)
INVENTOR:
  Wise, Adrian Philip, 10 Westbourne Cottages, Frenchay, Bristol BS16 1NA,
    (GB)
  Sotheran, Martin William, The Ridings, WickLane Stinchcombe, Dursley,
    Gloucestershire GL11 6BD, (GB)
  Robbins, William Philip, 19 Springhill, Cam, Gloucestershire GL11 5PE,
  Finch, Helen Rosemary, Tyley, Coombe, Wotton-under-edge, Gloucester GL12
    7ND, (GB)
  Boyd, Kevin James, 21 Lancashire Road, Bristol, BS7 9DL, (GB)
LEGAL REPRESENTATIVE:
  Vuillermoz, Bruno et al (72791), Cabinet Laurent & Charras B.P. 32 20,
    rue Louis Chirpaz, 69131 Ecully Cedex, (FR)
PATENT (CC, No, Kind, Date): EP 896477 A2 EP 896477 A3
                                             990210 (Basic)
                              EP 98202175 950228;
APPLICATION (CC, No, Date):
PRIORITY (CC, No, Date): GB 9405914 940324
DESIGNATED STATES: AT; BE; CH; DE; FR; GB; IE; IT; LI; NL
RELATED PARENT NUMBER(S) - PN (AN):
  EP 674443 (EP 95301301)
INTERNATIONAL PATENT CLASS (V7): H04N-007/24; G06F-013/00; G06F-009/38
ABSTRACT WORD COUNT: 95
NOTE:
  Figure number on first page: 61
LANGUAGE (Publication, Procedural, Application): English; English; English
FULLTEXT AVAILABILITY:
                           Update
                                     Word Count
Available Text Language
                           9906
                                        578
      CLAIMS A
                (English)
                (English)
      SPEC A
                           9906
                                     126716
                                     127294
Total word count - document A
Total word count - document B
Total word count - documents A + B 127294
...SPECIFICATION decodes every token since unrecognized tokens can be
  passed on correctly by considering only the extension bit; 2) the
  coding of the extension bit is identical for all tokens, 3) there is
  no limit placed on the length...here.
    As previously mentioned, the present invention is capable of
  decompressing a variety of differently encoded, picture data
  bitstreams. In each of the different standards of encoding, some form of
  output formatter...equivalent start code. Accordingly, the Start Code
  Detector, in response to the first H.261 picture
  (underscore) start (underscore) code , will generate a
  sequence (underscore) start token.
    None of the above described images are directly...stream and to then
```

convert them to the appropriate start code Token. In the simplest ${\it case}$, data is supplied to the Start code Detector in a single long DATA Token. The...errors are possible in non byte-aligned systems (H.261 or possibly

MPEG). In this case , the state of ignore (underscore) non (underscore) aligned must also be considered. Figure 65 illustrates... (Item 2 from file: 348) 20/3,K/2 DIALOG(R) File 348: EUROPEAN PATENTS (c) 2006 European Patent Office. All rts. reserv. 00991423 Start code detecting apparatus for video data stream Vorrichtung zur Startkodedetektierung fur Videodatenstrom Appareil de detection de code de depart pour un flux de donnees video PATENT ASSIGNEE: Discovision Associates, (260275), 2355 Main Street, Suite 200, Irvine, CA 92614, (US), (Applicant designated States: all) INVENTOR: Wise, Adrian Philip, 10 Westbourne Cottages, Frenchay, Bristol BS16 1NA, Sotheran, Martin William, The Ridings, Wick Lane, Stinchcombe, Dursley, Gloucerstershire GL11 6BD, (GB) Robbins, William Philip, 19 Springhill, Cam, Gloucestershire GL11 5PE, Finch, Helen Rosemary, Tyley, Coombe, Wotton-Under-Edge, Gloucester GL12 7ND, (GB) Boyd, Kevin James, 21 Lancashire Road, Bristol BS7 9DL, (GB) LEGAL REPRESENTATIVE: Vuillermoz, Bruno et al (72791), Cabinet Laurent & Charras B.P. 32 20, rue Louis Chirpaz, 69131 Ecully Cedex, (FR) PATENT (CC, No, Kind, Date): EP 896476 A2 990210 (Basic) EP 896476 A3 990922 EP 98202174 950228; APPLICATION (CC, No, Date): PRIORITY (CC, No, Date): GB 9405914 940324 DESIGNATED STATES: AT; BE; CH; DE; FR; GB; IE; IT; LI; NL RELATED PARENT NUMBER(S) - PN (AN): EP 674443 (EP 95301301) INTERNATIONAL PATENT CLASS (V7): H04N-007/24; G06F-013/00; G06F-009/38 ABSTRACT WORD COUNT: 384 NOTE: Figure number on first page: 61 LANGUAGE (Publication, Procedural, Application): English; English FULLTEXT AVAILABILITY: Word Count Update Available Text Language 9906 538 CLAIMS A (English) 9906 126716 (English) SPEC A Total word count - document A 127254 Total word count - document B Total word count - documents A + B 127254

...SPECIFICATION decodes every token since unrecognized tokens can be passed on correctly by considering only the **extension** bit; 2) the **coding** of the **extension** bit is identical for all tokens; 3) there is no limit placed on the length...here.

As previously mentioned, the present invention is capable of decompressing a variety of differently **encoded**, **picture** data bitstreams. In each of the different standards of encoding, some form of output formatter...equivalent start code. Accordingly, the Start Code Detector, in response to the first H.261 **picture** (underscore) start (underscore) **code**, will generate a

sequence (underscore) start token. None of the above described images are directly...stream and to then convert them to the appropriate start code Token. In the simplest case, data is supplied to the Start code Detector in a single long DATA Token. The...errors are possible in non byte-aligned systems (H.261 or possibly MPEG). In this case , the state of ignore(underscore)non(underscore)aligned must also be considered. Figure 65 illustrates... (Item 3 from file: 348) 20/3,K/3 DIALOG(R) File 348: EUROPEAN PATENTS (c) 2006 European Patent Office. All rts. reserv. 00991422 Start code detecting apparatus for video data stream Vorrichtung zur Sartkodedetektierung fur v Videodatenstrom Appareil de detection de code de depart pour un flux de données video PATENT ASSIGNEE: Discovision Associates, (260275), 2355 Main Street, Suite 200, Irvine, CA 92614, (US), (Applicant designated States: all) INVENTOR: Wise, Adrian Philip, 10 Westbourne Cottages, Frenchay, Bristol BS16 1NA, (GB) Sotheran, Martin William, The Riddings, Wick Lane Stinchcombe, Dursley, Gloucestershire GL11 6BD, (GB) Robbins, William Philip, 19 Springhill, CAM, Gloucestershire GL11 5PE, Finch, Helen Rosemary, Tyley, Coombe, Wotton-Under-Edge, Gloucester GL12 7ND, (GB) Boyd, Kevin James, 21 Lancashire Road, Bristol BS7 9DL, (GB) LEGAL REPRESENTATIVE: Vuillermoz, Bruno et al (72791), Cabinet Laurent & Charras B.P. 32 20, rue Louis Chirpaz, 69131 Ecully Cedex, (FR) PATENT (CC, No, Kind, Date): EP 896475 A2 990210 (Basic) EP 896475 A3 990922 APPLICATION (CC, No, Date): EP 98202172 950228; PRIORITY (CC, No, Date): GB 9405914 940324 DESIGNATED STATES: AT; BE; CH; DE; FR; GB; IE; IT; LI; NL RELATED PARENT NUMBER(S) - PN (AN): (EP 95301301) EP 674443 INTERNATIONAL PATENT CLASS (V7): H04N-007/24; G06F-013/00; G06F-009/38 ABSTRACT WORD COUNT: 315

NOTE: Figure number on first page: 61

LANGUAGE (Publication, Procedural, Application): English; English; FULLTEXT AVAILABILITY:

Available Text Language Update Word Count CLAIMS A (English) 9906 637
SPEC A (English) 9906 126716
Total word count - document A 127353
Total word count - document B 0
Total word count - documents A + B 127353

...SPECIFICATION decodes every token since unrecognized tokens can be passed on correctly by considering only the **extension** bit; 2) the **coding** of the **extension** bit is identical for all tokens; 3) there is no limit placed on the length...here.

As previously mentioned, the present invention is capable of

decompressing a variety of differently **encoded**, **picture** data bitstreams. In each of the different standards of encoding, some form of output formatter...equivalent start code. Accordingly, the Start Code Detector, in response to the first H.261 **picture** (underscore) start (underscore) **code**, will generate a sequence (underscore) start token.

None of the above described images are directly...stream and to then convert them to the appropriate start code Token. In the simplest case, data is supplied to the Start code Detector in a single long DATA Token. The...errors are possible in non byte-aligned systems (H.261 or possibly MPEG). In this case, the state of ignore(underscore)non(underscore)aligned must also be considered. Figure 65 illustrates...

20/3,K/4 (Item 4 from file: 348) DIALOG(R)File 348:EUROPEAN PATENTS

(c) 2006 European Patent Office. All rts. reserv.

00991421

Start code detecting apparatus for a video data stream Vorrichtung zur Startkodedetektierung fur Videodatenstrom Appareil de detection de code de depart pour un flux de donnees video PATENT ASSIGNEE:

Discovision Associates, (260275), 2355 Main Street, Suite 200, Irvine, CA 92614, (US), (Applicant designated States: all)
INVENTOR:

Wise, Adrian Philip, 10 Westbourne Cottages, Frenchay, Bristol BS16 1NA, (GB)

Sotheran, Martin William, The Ridings, Wick Lane Stinchcombe, Dursley, Gloucestershire GL11 6BD, (GB)

Robbins, William Philip, 19 Springhill, Cam, Gloucestershire GL11 5PE, (GB)

EP 896474 A3

990915

Finch, Helen Rosemary, Tyley, Coombe, Wotton-under-edge, Gloucester GL12 7ND, (GB)

Boyd, Kevin James, 21 Lancashire Road, Bristol BS7 9DL, (GB) LEGAL REPRESENTATIVE:

Cabinet Hirsch (101611), 34, Rue de Bassano, 75008 Paris, (FR) PATENT (CC, No, Kind, Date): EP 896474 A2 990210 (Basic)

APPLICATION (CC, No, Date): EP 98202171 950228;

PRIORITY (CC, No, Date): GB 9405914 940324

DESIGNATED STATES: AT; BE; CH; DE; FR; GB; IE; IT; LI; NL

RELATED PARENT NUMBER(S) - PN (AN):

EP 674443 (EP 95301301)

INTERNATIONAL PATENT CLASS (V7): H04N-007/24; G06F-013/00; G06F-009/38 ABSTRACT WORD COUNT: 136 NOTE:

Figure number on first page: 61

LANGUAGE (Publication, Procedural, Application): English; English; FULLTEXT AVAILABILITY:

Available Text Language Update Word Count

CLAIMS A (English) 9906 771 SPEC A (English) 9906 126716

Total word count - document A 127487

Total word count - document B 0

Total word count - documents A + B 127487

...SPECIFICATION decodes every token since unrecognized tokens can be

passed on correctly by considering only the extension bit; 2) the coding of the extension bit is identical for all tokens; 3) there is no limit placed on the length...here.

As previously mentioned, the present invention is capable of decompressing a variety of differently encoded, picture data bitstreams. In each of the different standards of encoding, some form of output formatter...equivalent start code. Accordingly, the Start Code Detector, in response to the first H.261 picture (underscore) start (underscore) code , will generate a sequence(underscore)start token.

None of the above described images are directly...stream and to then convert them to the appropriate start code Token. In the simplest case, data is supplied to the Start code Detector in a single long DATA Token. The...errors are possible in non byte-aligned systems (H.261 or possibly MPEG). In this ${f case}$, the state of ignore (underscore) non (underscore) aligned must also be considered. Figure 65 illustrates...

(Item 5 from file: 348) 20/3,K/5

DIALOG(R) File 348: EUROPEAN PATENTS

(c) 2006 European Patent Office. All rts. reserv.

00991420

Start code detecting apparatus for video data stream Vorrichtung zur Startkodedetektierung fur Videodatenstrom Appareil de detection de code de depart pour un flux de donnees video PATENT ASSIGNEE:

Discovision Associates, (260275), 2355 Main Street, Suite 200, Irvine, CA 92614, (US), (Applicant designated States: all) INVENTOR:

Wise, Adrian Philip, 10 Westbourne Cottages, Frenchay, Bristol BS16 1NA, (GB)

Sotheran, Martin William, The Ridings, Wick Lane Stinchcombe, Dursley, Gloucestershire GL11 6BD, (GB)

Robbins, William Philip, 19 Springhill, Cam, Gloucestershire GL11 5PE, (GB)

Finch, Helen Rosemary, Tyley, Coombe, Wotton-under-edge, Gloucester GL12 7ND, (GB)

Boyd, Kevin James, 21 Lancashire Road, Bristol BS7 9DL, (GB) LEGAL REPRESENTATIVE:

Cabinet Hirsch (101611), 34, Rue de Bassano, 75008 Paris, (FR) PATENT (CC, No, Kind, Date): EP 896473 A2 990210 (Basic)

EP 896473 A3 990915 EP 98202170 950228; APPLICATION (CC, No, Date):

PRIORITY (CC, No, Date): GB 9405914 940324

DESIGNATED STATES: AT; BE; CH; DE; FR; GB; IE; IT; LI; NL

RELATED PARENT NUMBER(S) - PN (AN):

EP 674443 (EP 95301301)

INTERNATIONAL PATENT CLASS (V7): H04N-007/24; G06F-013/00; G06F-009/38 ABSTRACT WORD COUNT: 307 NOTE:

Figure number on first page: 61

LANGUAGE (Publication, Procedural, Application): English; English FULLTEXT AVAILABILITY:

Word Count Available Text Language Update 9906 455 CLAIMS A (English) 126716 9906 SPEC A (English) 127171

Total word count - document A

Total word count - document B 0
Total word count - documents A + B 127171

...SPECIFICATION decodes every token since unrecognized tokens can be passed on correctly by considering only the **extension** bit; 2) the **coding** of the **extension** bit is identical for all tokens; 3) there is no limit placed on the length...here.

As previously mentioned, the present invention is capable of decompressing a variety of differently **encoded**, **picture** data bitstreams. In each of the different standards of encoding, some form of output formatter...equivalent start code. Accordingly, the Start Code Detector, in response to the first H.261 **picture** (underscore) start (underscore) **code**, will generate a sequence (underscore) start token.

None of the above described images are directly...stream and to then convert them to the appropriate start code Token. In the simplest case, data is supplied to the Start code Detector in a single long DATA Token. The...errors are possible in non byte-aligned systems (H.261 or possibly MPEG). In this case, the state of ignore(underscore)non(underscore)aligned must also be considered. Figure 65 illustrates...

20/3,K/6 (Item 6 from file: 348) DIALOG(R)File 348:EUROPEAN PATENTS

(c) 2006 European Patent Office. All rts. reserv.

00983604

Pipeline decoding system
Pipeline-System zur Dekodierung
Systeme pipeline de decodage

PATENT ASSIGNEE:

Discovision Associates, (260275), 2355 Main Street, Suite 200, Irvine, CA 92614, (US), (Proprietor designated states: all)
INVENTOR:

Wise, Adrian Philip, 10 Westbourne Cottages, Frenchay, Bristol BS16 1NA, (GB)

Sotheran, Martin William, The Ridings, Wick Lane Stichcombe, Dursley, Gloucestershire GL11 6BD, (GB)

Robbins, William Philip, 19 Springhill, Cam, Gloucestershire GL11 5PE, (GB)

Finch, Helen Rosemary, Tyley, Coombe, Wotton-Under-Edge, GLoucester GL12 7ND, (GB)

Boyd, Kevin James, 21 Lancashire Road, Bristol BS7 9DL, (GB) LEGAL REPRESENTATIVE:

Vuillermoz, Bruno et al (72791), Cabinet Laurent & Charras B.P. 32 20, rue Louis Chirpaz, 69131 Ecully Cedex, (FR)

PATENT (CC, No, Kind, Date): EP 891088 A1 990113 (Basic) EP 891088 B1 010509

APPLICATION (CC, No, Date): EP 98202133 950228;

PRIORITY (CC, No, Date): GB 9405914 940324

DESIGNATED STATES: AT; BE; CH; DE; FR; GB; IE; IT; LI; NL

RELATED PARENT NUMBER(S) - PN (AN):

EP 674443 (EP 95301301)

INTERNATIONAL PATENT CLASS (V7): H04N-007/24; G06F-013/00; G06F-009/38 ABSTRACT WORD COUNT: 269

NOTE:

Figure number on first page: 38

LANGUAGE (Publication, Procedural, Application): English; English; English

FULLTEXT AVAILABILITY:

```
Word Count
                            Update
Available Text Language
                                          662
      CLAIMS A
                            199902
               (English)
      CLAIMS B
                            200119
                                        778
                (English)
      CLAIMS B
                            200119
                                        770
                 (German)
      CLAIMS B
                 (French)
                            200119
                                        881
                            199902
                                       126651
      SPEC A
                (English)
      SPEC B
                                     120956
                            200119
                (English)
Total word count - document A
                                     127332
Total word count - document B
                                     123385
Total word count - documents A + B 250717
```

...SPECIFICATION of the next PH1 clock phase and the DATA(underscore)TOKEN signal will become "0", indicating that the circuitry is not processing a DATA token.

If QI1 is "0" and SO...

...of the next PH1 clock phase and the DATA(underscore) TOKEN signal will become "1", indicating that the circuitry is processing a DATA token.

The NOT(underscore) DUPLICATE signal (the output...in serial data communications.

If a non-aligned start code is found, it will normally **indicate** that a communication error has previously occurred. If the error is a "bit-slip" in...

- ...these "natural" Tokens, some useful "invented" Tokens are generated. Examples of these proprietary tokens are PICTURE (underscore) END and CODING (underscore) STANDARD Tokens are also introduced to remove some of the syntactic differences between the...
- ...SPECIFICATION value decode shift register 230, as indicated by area 231. This process eliminates overlapping start **code images**, as discussed below. A first output from the value decode shift register 230 is passed ...Hole Address Locations
 - 18. Picture End
 - 19. Flushing Operation
 - 20. Flush Function
 - 21. Stop-After- Picture
 - 22. Multi-Standard Search Mode
 - 23. Inverse Modeler
 - 24. Inverse Quantizer
 - 25. Huffman Decoder and...errors are possible in non byte-aligned systems (H.261 or possibly MPEG). In this **case**, the state of ignore(underscore)non(underscore)aligned must also be considered. Figure 65 illustrates...

20/3,K/7 (Item 7 from file: 348)

DIALOG(R) File 348: EUROPEAN PATENTS

(c) 2006 European Patent Office. All rts. reserv.

00711606

Start code detector for image sequences
Detektor fur den Startcode von Bildsequenzen
Detecteur de code de depart pour sequences d'images
PATENT ASSIGNEE:

DISCOVISION ASSOCIATES, (260273), 2355 Main Street Suite 200, Irvine, CA 92714, (US), (Proprietor designated states: all) INVENTOR:

Wise, Adrian Philip, 10 Westbourne Cottages, Frenchay, Bristol BS16 1NA,

```
(GB)
 Sotheran, Martin William, The Ridings, Wick Lane, Stinchcombe, Dursley,
    Gloucestershire GL11 6BD, (GB)
 Robbins, William Philip, 19 Springhill, Cam, Gloucestershire GL11 5PE,
 Finch, Helen Rosemary, Tyley, Coombe, Wotton-Under-Edge, Gloucester. GL12
    7ND, (GB)
 Boyd, Kevin James, 21 Lancashire Road, Bristol BS7 9DL, (GB)
LEGAL REPRESENTATIVE:
 Vuillermoz, Bruno et al (72791), Cabinet Laurent & Charras B.P. 32 20,
    rue Louis Chirpaz, 69131 Ecully Cedex, (FR)
PATENT (CC, No, Kind, Date): EP 674443 A2
                                             950927 (Basic)
                              EP 674443 A3
                              EP 674443 A3 981223
                              EP 674443 B1 010509
APPLICATION (CC, No, Date):
                              EP 95301301 950228;
PRIORITY (CC, No, Date): GB 9405914 940324
DESIGNATED STATES: AT; BE; CH; DE; FR; GB; IE; IT; LI; NL
RELATED DIVISIONAL NUMBER(S) - PN (AN):
 EP 891089 (EP 98202149)
     (EP 98202154)
            (EP 98202132)
 EP 884910
            (EP 98202133)
 EP 891088
 EP 897244
            (EP 98202134)
 EP 901286
            (EP 98202135)
 EP 901287
            (EP 98202166)
            (EP 98202170)
  EP 896473
            (EP 98202171)
 EP 896474
            (EP 98202174)
  EP 896476
  EP 896475 (EP 98202172)
INTERNATIONAL PATENT CLASS (V7): H04N-007/24; G06F-013/00; G06F-009/38
ABSTRACT WORD COUNT: 102
NOTE:
  Figure number on first page: 61
LANGUAGE (Publication, Procedural, Application): English; English
FULLTEXT AVAILABILITY:
Available Text Language
                           Update
                                     Word Count
                           EPAB95
                                      2897
      CLAIMS A
               (English)
      CLAIMS B
                           200119
                                       647
                (English)
      CLAIMS B
                           200119
                                       609
                 (German)
                                       752
      CLAIMS B
                           200119
                 (French)
      SPEC A
                (English)
                           EPAB95
                                    128616
      SPEC B
                (English)
                           200119
                                    122384
Total word count - document A
                                    131543
Total word count - document B
                                    124392
Total word count - documents A + B 255935
... SPECIFICATION a temporal decoder;
       Figure 84 shows a picture buffer specification;
       Figure 85 shows an MPEG picture sequence (m=3);
       Figure 86 shows how "I" pictures are stored and output;
       Figure 87...decodes every token since unrecognized tokens can be
  passed on correctly by considering only the extension bit; 2) the
  coding of the extension bit is identical for all tokens; 3) there is
  no limit placed on the length...provided to store the most recent state
  of the extension bit. The value of the extension bit is loaded into
  LEIN and is then loaded into LEOUT on the next rising...
...LEIN. The output QEPREV of the latch LEPREV, thus, will hold the value
```

of the extension bit during the previous PHO clock phase.

The five bits of the data word output...each picture recovery cycle. When the correct number of blocks do not arrive from the **coded** data buffer, typically an error recovery routine would result. However, with the PICTURE...

...SPECIFICATION carries data from one processing stage to the next.

Consequently, the characteristics of this token **change** as it passes through the decoder. For example, at the input to the Spatial Decoder... another Token. The last word of the current Token is indicated by writing 0 to **coded** (underscore) extn followed by writing the last word of the current Token into coded data...byte of extra(underscore)information(underscore)picture, no Parser event will occur.

A.14.8 Changes at the MPEG sequence layer
The MPEG sequence header describes the following characteristic of the

20/3,K/8 (Item 8 from file: 348)

DIALOG(R) File 348: EUROPEAN PATENTS

(c) 2006 European Patent Office. All rts. reserv.

00711605

Reconfigurable data processing stage Rekonfigurierbare Datenverarbeitungsstufe Etage d'operation de donnees reconfigurable

PATENT ASSIGNEE:

DISCOVISION ASSOCIATES, (260273), 2355 Main Street Suite 200, Irvine, CA 92714, (US), (Proprietor designated states: all)
INVENTOR:

Wise, Adrian Philip, 10 Westbourne Cottages, Frenchay, Bristol, BS16 1NA, (GB)

Sotheran, Martin William, The Ridings, Wick Lane, Stinchcombe, Dursley, Gloucestershire, GL11 6BD, (GB)

Robbins, William Philip, 19 Springhill, Cam, Gloucestershire, GL11 5PE, (GB)

LEGAL REPRESENTATIVE:

Vuillermoz, Bruno et al (72791), Cabinet Laurent & Charras B.P. 32 20, rue Louis Chirpaz, 69131 Ecully Cedex, (FR)

PATENT (CC, No, Kind, Date): EP 674446 A2 950927 (Basic)

EP 674446 A3 960814 EP 674446 B1 010801

APPLICATION (CC, No, Date): EP 95301300 950228;

PRIORITY (CC, No, Date): GB 9405914 940324

DESIGNATED STATES: AT; BE; CH; DE; FR; GB; IE; IT; LI; NL

INTERNATIONAL PATENT CLASS (V7): H04N-007/24; G06F-013/00; G06F-009/38

ABSTRACT WORD COUNT: 144

NOTE:

Figure number on first page: 10

LANGUAGE (Publication, Procedural, Application): English; English; English; FULLTEXT AVAILABILITY:

Availa	able Text	Language	Update	Word Coun	t
	CLAIMS A	(English)	EPAB95	2475	
	CLAIMS B	(English)	200131	1079	
	CLAIMS B	(German)	200131	1072	
	CLAIMS B	(French)	200131	1186	
	SPEC A	(English)	EPAB95	125236	
	SPEC B	(English)	200131	121335	
Total word count - document A			127738		

Total word count - document B 124672 Total word count - documents A + B 252410

...SPECIFICATION a padding word and a FLUSH token indicating to the serial pipeline processor that the picture processing for the current picture form is completed. Thereafter, the various state machines need reconfiguring...

20/3,K/9 (Item 9 from file: 348) DIALOG(R) File 348: EUROPEAN PATENTS (c) 2006 European Patent Office. All rts. reserv.

00711604

Serial data processing using a pipeline Verarbeitung serieller Daten mittels einer Pipeline Traitement de donnees en serie par pipeline PATENT ASSIGNEE:

DISCOVISION ASSOCIATES, (260273), 2355 Main Street Suite 290, Irvine, CA 92714, (US), (Proprietor designated states: all) INVENTOR:

Wise, Adrian Philip, 10 Westbourne Cottages, Frenchay, Bristol, BS16 1NA, (GB)

Sotheran, Martin William, The Ridings, Wick Lane, Stinchcombe, Dursley, Gloucestershire, GL11 6BD, (GB)

Robbins, William Philip, 19 Springhill, Cam, Gloucestershire, GL11 5PE,

LEGAL REPRESENTATIVE:

Vuillermoz, Bruno et al (72791), Cabinet Laurent & Charras B.P. 32 20, rue Louis Chirpaz, 69131 Ecully Cedex, (FR)

EP 674442 A2 950927 (Basic) PATENT (CC, No, Kind, Date):

EP 674442 А3 960814

EP 674442 B1

APPLICATION (CC, No, Date): EP 95301299 950310;

PRIORITY (CC, No, Date): GB 9405914 940324

DESIGNATED STATES: AT; BE; CH; DE; FR; GB; IE; IT; LI; NL

INTERNATIONAL PATENT CLASS (V7): H04N-007/24; G06F-019/00; G06F-009/38 ABSTRACT WORD COUNT: 125

NOTE:

Figure number on first page: 58

LANGUAGE (Publication, Procedural, Application): English; English; English FULLTEXT AVAILABILITY:

Available Text Language Word Count Update 200107 1004 CLAIMS B (English) CLAIMS B (German) 200107 995 CLAIMS B (French) 200107 1110 121334 SPEC B (English) 200107 Total word count - document A Total word count - document B 124443 Total word count - documents A + B 124443

...SPECIFICATION a 0 when read except for unused bits in registers holding signed integers. In this case , the most significant bit of the register will be sign extended. For example, a 12...these "natural" Tokens, some useful "invented" Tokens are generated. Examples of these proprietary tokens are PICTURE (underscore) END and CODING (underscore) STANDARD. Tokens are also introduced t

```
(Item 1 from file: 348)
22/3,K/1
DIALOG(R) File 348: EUROPEAN PATENTS
(c) 2006 European Patent Office. All rts. reserv.
01556122
ELECTRONIC CAMERA
ELEKTRONISCHE KAMERA
CAMERA ELECTRONIQUE
PATENT ASSIGNEE:
  Nikon Corporation, (1099921), 2-3, Marunouchi 3-chome, Chiyoda-ku, Tokyo
    100-8331, (JP), (Applicant designated States: all)
INVENTOR:
  EJIMA, Satoshi; C/O NIKON CORPORATION, 2-3, Marunouchi 3-Chome,
    Chiyoda-ku, Tokyo 100-8331, (JP)
  UMEYAMA, Kazuya; C/O NIKON CORPORATION, 2-3, Marunouchi 3-Chome,
    Chiyoda-ku, Tokyo 100-8331, (JP)
  KAWAHARA, Takumi; C/O NIKON CORPORATION, 2-3, Marunouchi 3-Chome,
    Chiyoda-ku, Tokyo 100-8331, (JP)
  KUROIWA, Toshihisa; C/O NIKON CORPORATION, 2-3, Marunouchi 3-Chome,
    Chiyoda-ku, Tokyo 100-8331, (JP)
  KOBAYASHI, Toshiaki; C/O NIKON CORPORATION, 2-3, Marunouchi 3-Chome,
    Chivoda-ku, Tokyo 100-8331, (JP)
  NOZAKI, Hirotake; C/O NIKON CORPORATION, 2-3, Marunouchi 3-Chome,
    Chiyoda-ku, Tokyo 100-8331, (JP)
  KAWAMURA, Tomoaki; C/O NIKON CORPORATION, 2-3, Marunouchi 3-Chome,
    Chiyoda-ku, Tokyo 100-8331, (JP)
LEGAL REPRESENTATIVE:
  Volpert, Marcus et al (72584), Zeitler, Volpert, Kandlbinder
    Patentanwalte Herrnstrasse 44, 80539 Munchen, (DE)
PATENT (CC, No, Kind, Date): EP 1429553 A1 040616 (Basic)
                              WO 2003007599 030123
                              EP 2002746011 020712; WO 2002JP7111 020712
APPLICATION (CC, No, Date):
PRIORITY (CC, No, Date): JP 2001213524 010713; JP 2001216814 010717; JP
    2001245954 010814
DESIGNATED STATES: AT; BE; BG; CH; CY; CZ; DE; DK; EE; ES; FI; FR; GB; GR;
  IE; IT; LI; LU; MC; NL; PT; SE; SK; TR
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS (V7): H04N-005/91; H04N-005/907
ABSTRACT WORD COUNT: 145
NOTE:
  Figure number on first page: 5
LANGUAGE (Publication, Procedural, Application): English; English; Japanese
FULLTEXT AVAILABILITY:
Available Text Language
                           Update
                                     Word Count
      CLAIMS A
               (English)
                           200425
                                      1552
                                      16809
      SPEC A
                (English)
                           200425
                                      18361
Total word count - document A
Total word count - document B
                                     18361
Total word count - documents A + B
... SPECIFICATION image for transfer.
    When a file name rule of derivative images is, for example, "SSCN****.
  jpg ", the MPU 21 changes an initial letter of the file name of
  the original image from "D" to "S" to generate a file name of the...
```

When a file name rule of derivative images is, for example, "SSCN****.jpg ", the MPU 21 changes an initial letter of the file name of the original image from "D" to "S" to generate a file name of the...

...a derivative image.

```
(Item 1 from file: 348)
 32/3,K/1
DIALOG(R) File 348: EUROPEAN PATENTS
(c) 2006 European Patent Office. All rts. reserv.
01792684
              recording medium, information reproducing apparatus,
Information
    information recording and reproducing apparatus
Datenaufzeichnungsmedium, Datenwiedergabegerat, und Datenaufzeichnungs-/wie
    dergabegerat
Support d'enregistrement, appareil de lecture d'information, et appareil
    d'enreqistrement et de lecture d'information
PATENT ASSIGNEE:
  KABUSHIKI KAISHA TOSHIBA, (2077102), 1-1, Shibaura 1-chome, Minato-ku,
    Tokyo 105-8001, (JP), (Applicant designated States: all)
INVENTOR:
  Ando, Hideo, c/o Toshiba Corporation, Intellectual Property Div.1-1,
    Shibaura 1-chome, Minato-kuTokyo 105-8801, (JP)
  Noda, Chosaku, c/o Toshiba Corporation, Intellectual Property Div.1-1,
    Shibaura 1-chome, Minato-kuTokyo 105-8801, (JP)
  Kojima, Tadashi,c/o Toshiba Corporation, Intellectual Property Div.1-1,
    Shibaura 1-chome, Minato-kuTokyo 105-8801, (JP)
  Maruyama, Sumitaka, c/o Toshiba Corporation, Intellectual Property
    Div.1-1, Shibaura 1-chome, Minato-kuTokyo 105-8801, (JP)
LEGAL REPRESENTATIVE:
  Henkel, Feiler & Hanzel (100401), Patentanwalte Maximiliansplatz 21,
    80333 Munchen, (DE)
PATENT (CC, No, Kind, Date): EP 1465165 A2
                                              041006 (Basic)
                              EP 1465165 A2
                                              041006
                              EP 1465165 A3 060802
                              EP 2004006856 040322;
APPLICATION (CC, No, Date):
PRIORITY (CC, No, Date): JP 200395403 030331
DESIGNATED STATES: AT; BE; BG; CH; CY; CZ; DE; DK; EE; ES; FI; FR; GB; GR;
  HU; IE; IT; LI; LU; MC; NL; PL; PT; RO; SE; SI; SK; TR
EXTENDED DESIGNATED STATES: AL; LT; LV; MK
INTERNATIONAL PATENT CLASS (V7): G11B-007/00
INTERNATIONAL CLASSIFICATION (V8 + ATTRIBUTES):
IPC + Level Value Position Status Version Action Source Office:
                   A I F B 20060101 20040624 H EP
  G11B-0007/00
ABSTRACT WORD COUNT: 164
NOTE:
  Figure number on first page: 102
LANGUAGE (Publication, Procedural, Application): English; English; English
FULLTEXT AVAILABILITY:
Available Text Language
                                     Word Count
                           Update
                           200441
                                       332
      CLAIMS A
               (English)
                           200441
                                     56153
      SPEC A
                (English)
                                      56494
Total word count - document A
Total word count - document B
                                         n
Total word count - documents A + B
                                     56494
```

- ...SPECIFICATION FIG. 35, the sync code in the present embodiment comprises the following portions.
 - (1) Synchronization **position detection code** portion
 A common **pattern** to all sync **codes** is provided, and a fixed code area is formed. By detecting this code, a sync...
- ...in modulated general channel bit data. By utilizing this modulation

rule, the above described synchronizing **position detection code** portion has a **pattern** which does not appears in the modulated general channel bit data. That is, as shown...

...error is likely to occur. Thus, in order to alleviate this problem, in the synchronizing position detection code portion, a pattern with a small number of continuous "0"s is allocated immediately after such "0"s...

(Item 2 from file: 348) 32/3,K/2 DIALOG(R) File 348: EUROPEAN PATENTS (c) 2006 European Patent Office. All rts. reserv. 00975324 Pipeline decoding system Pipeline-System zur Dekodierung Systeme pipeline de decodage PATENT ASSIGNEE: Discovision Associates, (260275), 2355 Main Street, Suite 200, Irvine, CA 92614, (US), (Proprietor designated states: all) INVENTOR: Wise, Adrian Philip, 10 Westbourne Cottages, Frenchay, Bristol BS16 1NA, (GB) Sotheran, Martin William, The Ridings, Wick Lane, Stinchcombe, Dursley, Gloucestershire GL11 6BD, (GB) Robbins, William Philip, 19 Springhill, Cam, Gloucestershire GL11 5PE, Finch, Helen Rosemary, Tyley, Coombe, Wotton-Under-Edge, Gloucesterhire GL12 7ND, (GB) Boyd, Kevin James, 21 Lancashire Road, Bristol BS7 9DL, (GB) LEGAL REPRESENTATIVE: Vuillermoz, Bruno et al (72791), Cabinet Laurent & Charras B.P. 32 20, rue Louis Chirpaz, 69131 Ecully Cedex, (FR) PATENT (CC, No, Kind, Date): EP 884910 A1 981216 (Basic) 010509 EP 884910 B1 EP 98202132 950228; APPLICATION (CC, No, Date): PRIORITY (CC, No, Date): GB 9405914 940324 DESIGNATED STATES: AT; BE; CH; DE; FR; GB; IE; IT; LI; NL RELATED PARENT NUMBER(S) - PN (AN): EP 674443 (EP 95301301) INTERNATIONAL PATENT CLASS (V7): H04N-007/24; G06F-013/00; G06F-009/38 ABSTRACT WORD COUNT: 104 NOTE: Figure number on first page: 76

LANGUAGE (Publication, Procedural, Application): English; English; English; FULLTEXT AVAILABILITY:

```
Update
                                      Word Count
Available Text Language
                           199851
                                          498
      CLAIMS A
               (English)
                           200119
                                        330
      CLAIMS B
               (English)
                           200119
                                        308
      CLAIMS B
                 (German)
                           200119
                                        382
      CLAIMS B
                 (French)
                                       126705
      SPEC A
                (English)
                           199851
                                     122739
                           200119
      SPEC B
                (English)
                                     127222
Total word count - document A
Total word count - document B
                                     123759
Total word count - documents A + B 250981
```

...SPECIFICATION nor does it have a PICTURE (underscore) END image in its data stream. The Start Code Detector indicates the PICTURE

(underscore) END point in the incoming bit stream and creates a PICTURE (underscore) END token...

```
(Item 3 from file: 348)
 32/3, K/3
DIALOG(R) File 348: EUROPEAN PATENTS
(c) 2006 European Patent Office. All rts. reserv.
00711606
Start code detector for image sequences
Detektor fur den Startcode von Bildsequenzen
Detecteur de code de depart pour sequences d'images
PATENT ASSIGNEE:
  DISCOVISION ASSOCIATES, (260273), 2355 Main Street Suite 200, Irvine, CA
    92714, (US), (Proprietor designated states: all)
INVENTOR:
  Wise, Adrian Philip, 10 Westbourne Cottages, Frenchay, Bristol BS16 1NA,
    (GB)
  Sotheran, Martin William, The Ridings, Wick Lane, Stinchcombe, Dursley,
    Gloucestershire GL11 6BD, (GB)
  Robbins, William Philip, 19 Springhill, Cam, Gloucestershire GL11 5PE,
  Finch, Helen Rosemary, Tyley, Coombe, Wotton-Under-Edge, Gloucester. GL12
    7ND, (GB)
  Boyd, Kevin James, 21 Lancashire Road, Bristol BS7 9DL, (GB)
LEGAL REPRESENTATIVE:
  Vuillermoz, Bruno et al (72791), Cabinet Laurent & Charras B.P. 32 20,
    rue Louis Chirpaz, 69131 Ecully Cedex, (FR)
                              EP 674443 A2
                                              950927 (Basic)
PATENT (CC, No, Kind, Date):
                               EP 674443
                                         А3
                                              951213
                               EP 674443
                                         A3
                                              981223
                               EP 674443 B1
                                              010509
                               EP 95301301 950228;
APPLICATION (CC, No, Date):
PRIORITY (CC, No, Date): GB 9405914 940324
DESIGNATED STATES: AT; BE; CH; DE; FR; GB; IE; IT; LI; NL
RELATED DIVISIONAL NUMBER(S) - PN (AN):
             (EP 98202149)
  EP 891089
     (EP 98202154)
  EP 884910
            (EP 98202132)
  EP 891088
             (EP 98202133)
             (EP 98202134)
  EP 897244
             (EP 98202135)
  EP 901286
              (EP 98202166)
  EP 901287
             (EP 98202170)
  EP 896473
              (EP 98202171)
  EP 896474
             (EP 98202174)
  EP 896476
             (EP 98202172)
  EP 896475
INTERNATIONAL PATENT CLASS (V7): H04N-007/24; G06F-013/00; G06F-009/38
ABSTRACT WORD COUNT: 102
NOTE:
  Figure number on first page: 61
LANGUAGE (Publication, Procedural, Application): English; English
FULLTEXT AVAILABILITY:
                                      Word Count
Available Text Language
                            Update
                                        2897
                            EPAB95
      CLAIMS A
                 (English)
                            200119
                                         647
       CLAIMS B
                 (English)
                            200119
                                         609
       CLAIMS B
                  (German)
                            200119
                                         752
                  (French)
       CLAIMS B
                            EPAB95
                                      128616
       SPEC A
                 (English)
                            200119
                                      122384
                 (English)
       SPEC B
```

Total word count - document A 131543 Total word count - document B 124392 Total word count - documents A + B 255935 ... SPECIFICATION adaptive and may be position dependent upon the processing stages for performance of functions or position independent of the processing stages for performance of functions.

32/3,K/4 (Item 4 from file: 348) DIALOG(R) File 348: EUROPEAN PATENTS (c) 2006 European Patent Office. All rts. reserv.

In said pipeline machine, the tokens...

00711605

. .

Reconfigurable data processing stage Rekonfigurierbare Datenverarbeitungsstufe Etage d'operation de donnees reconfigurable PATENT ASSIGNEE:

DISCOVISION ASSOCIATES, (260273), 2355 Main Street Suite 200, Irvine, CA 92714, (US), (Proprietor designated states: all) INVENTOR:

Wise, Adrian Philip, 10 Westbourne Cottages, Frenchay, Bristol, BS16 1NA, (GB)

Sotheran, Martin William, The Ridings, Wick Lane, Stinchcombe, Dursley, Gloucestershire, GL11 6BD, (GB)

Robbins, William Philip, 19 Springhill, Cam, Gloucestershire, GL11 5PE, (GB)

LEGAL REPRESENTATIVE:

Vuillermoz, Bruno et al (72791), Cabinet Laurent & Charras B.P. 32 20, rue Louis Chirpaz, 69131 Ecully Cedex, (FR)

PATENT (CC, No, Kind, Date): EP 674446 A2 EP 674446 A3 950927 (Basic)

EP 674446 B1 010801

APPLICATION (CC, No, Date): EP 95301300 950228;

PRIORITY (CC, No, Date): GB 9405914 940324

DESIGNATED STATES: AT; BE; CH; DE; FR; GB; IE; IT; LI; NL

INTERNATIONAL PATENT CLASS (V7): H04N-007/24; G06F-013/00; G06F-009/38

ABSTRACT WORD COUNT: 144

NOTE:

Figure number on first page: 10

LANGUAGE (Publication, Procedural, Application): English; English; English FULLTEXT AVAILABILITY:

Available Text	Language Update	Word Count
CLAIMS A	(English) EPAB95	2475
CLAIMS B	(English) 200131	1079
CLAIMS B	(German) 200131	1072
CLAIMS B	(French) 200131	1186
SPEC A	(English) EPAB95	125236
SPEC B	(English) 200131	121335
Total word coun	t - document A	127738
Total word coun	t - document B	124672
Total word coun	t - documents A + B	252410

... SPECIFICATION by a single "one" value. An 8-bit data value image follows a valid start code image . On detecting the presence of a start image , the detector 225 transmits a start image over a line 227 to a value decoder..

```
9:Business & Industry(R) Jul/1994-2006/Sep 18
File
         (c) 2006 The Gale Group
File
     15:ABI/Inform(R) 1971-2006/Sep 19
         (c) 2006 ProQuest Info&Learning
     16:Gale Group PROMT(R) 1990-2006/Sep 18
File
         (c) 2006 The Gale Group
     20:Dialog Global Reporter 1997-2006/Sep 19
File
         (c) 2006 Dialog
     47:Gale Group Magazine DB(TM) 1959-2006/Sep 18
File
         (c) 2006 The Gale group
     75:TGG Management Contents(R) 86-2006/Sep W2
File
         (c) 2006 The Gale Group
     80:TGG Aerospace/Def.Mkts(R) 1982-2006/Sep 18
File
         (c) 2006 The Gale Group
     88:
File
     98:General Sci Abs 1984-2006/Sep
File
         (c) 2006 The HW Wilson Co.
File 112:UBM Industry News 1998-2004/Jan 27
         (c) 2004 United Business Media
File 160: Gale Group PROMT (R) 1972-1989
         (c) 1999 The Gale Group
File 275: Gale Group Computer DB(TM) 1983-2006/Sep 18
         (c) 2006 The Gale Group
File 264:DIALOG Defense Newsletters 1989-2006/Sep 18
         (c) 2006 Dialog
File 484: Periodical Abs Plustext 1986-2006/Sep W2
         (c) 2006 ProQuest
File 553:Wilson Bus. Abs. 1982-2006/Jul
         (c) 2006 The HW Wilson Co
File 570: Gale Group MARS(R) 1984-2006/Sep 18
         (c) 2006 The Gale Group
File 620:EIU:Viewswire 2006/Sep 18
         (c) 2006 Economist Intelligence Unit
File 621:Gale Group New Prod.Annou.(R) 1985-2006/Sep 18
         (c) 2006 The Gale Group
File 623: Business Week 1985-2006/Sep 19
         (c) 2006 The McGraw-Hill Companies Inc
File 624:McGraw-Hill Publications 1985-2006/Sep 19
         (c) 2006 McGraw-Hill Co. Inc
File 634:San Jose Mercury Jun 1985-2006/Sep 17
         (c) 2006 San Jose Mercury News
File 635:Business Dateline(R) 1985-2006/Sep 14
         (c) 2006 ProQuest Info&Learning
File 636:Gale Group Newsletter DB(TM) 1987-2006/Sep 18
         (c) 2006 The Gale Group
File 647:CMP Computer Fulltext 1988-2006/Nov W1
         (c) 2006 CMP Media, LLC
File 696:DIALOG Telecom. Newsletters 1995-2006/Sep 18
         (c) 2006 Dialog
File 674: Computer News Fulltext 1989-2006/Sep W1
         (c) 2006 IDG Communications
File 810: Business Wire 1986-1999/Feb 28
         (c) 1999 Business Wire
File 813:PR Newswire 1987-1999/Apr 30
         (c) 1999 PR Newswire Association Inc
File 587: Jane's Defense&Aerospace 2006/Sep W2
         (c) 2006 Jane's Information Group
Set
        Items
                Description
                FILE() (NAME?? OR EXT OR EXTENSION) OR EXT OR EXTENSION??
S1
      2577557
        10613
                (ENCOD? OR CODE?? OR CODING OR MAP? OR LINK???) (3N) S1
S2
```

(CHANG? OR MODIFY??? OR MODIFIES OR MODIFICATION OR EDIT??? S3 OR CORERECT??? OR INDICAT? OR FLAG? OR RECORD???) (3N) (LETTE-R?? OR CASE OR (UPPER OR LOWER OR TITLE OR SENTENCE) () CASE OR CAPITALI? OR (REVERSE OR BLINK???) () VIDEO) (JPEG OR JPG OR GIF OR TIF OR PCX OR TXT OR DOC OR PDF OR -S4 BMP) (3N) S3 AUTOMAT? (3N) (S3 OR S4) S5 402 26271 (SENSOR OR DETECT? OR SENSING) (3N) (ORIENTAT??? OR ROTAT??? S6 OR POSITION OR LANDSCAPE OR PORTRAIT OR REVERSE?? OR UPSIDE()-DOWN OR RIGHT()SIDE()UP OR 90()DEGREE?? OR CLOCKWISE OR CLOCK-() WISE OR COUNTERCLOCKWISE OR COUNTER() CLOCKWISE OR COLOR?? OR COLOUR?? OR (ATTRIBUTE?? OR FEATURE?? OR INFORMATION OR DOCUMENT OR CH-**S7** ARACTERISTIC) (3N) S6 S8 AU=(DEBRITO, D? OR DEBRITO D?) (DIGITAL???() IMAG? OR PICTURE?? OR PHOTO OR PHOTOS OR PHOT-S 9 49084 OGRAPH?? OR LOGO?? OR ICON?? OR GLYPH?? OR GRAPHIC? OR GRAPHIX OR PICTOGRAM?? OR PICTOGRAPH?? OR SYMBOL?? OR PATTERN?? OR I-MAG??? OR BIT()MAP??) (3N) (ENCOD? OR CODE?? OR CCDING) (CAMERA?? OR CCD OR (CAPTUR??? OR CHARGE() COUPLED OR IMAG?-S10 1147997)()DEVICE??) (S1 OR S2) (3N) (LETTER?? OR CASE OR (UPPER OR LOWER OR TITLE S11 6036 OR SENTENCE) () CASE OR CAPITALI? OR (REVERSE OR BLINK???) () VI-DEO) 107 S12 S11(3N)S3 S12(3N)S4 0 S13 S14 0 S12 (40N) S4 (JPEG OR JPG OR GIF OR TIF OR PCX OR TXT OR DOC OR PDF OR -2 S15 BMP) (3N) S12 S16 1 RD (unique items) (S11 OR S12) (3N) (S7 OR S6) S17 0 (S11 OR S12) (40N) (S7 OR S6) S18 n S19 11 (S1 OR S2) (3N) (S6 OR S7) S19(40N)(S9 OR S10) S20 0 RD S19 (unique items) S21 6

S19 AND (S3:S5)

0

S22

16/3,K/1 (Item 1 from file: 47)
DIALOG(R)File 47:Gale Group Magazine DB(TM)
(c) 2006 The Gale group. All rts. reserv.

02584783 SUPPLIER NUMBER: 03477346 (USE FORMAT 7 OR 9 FOR FULL TEXT) A spelling checker with a mind of its own. (evaluation)

Hart, Glenn A.

PC Magazine, v3, p260(7)

Oct 16, 1984

. . . .

DOCUMENT TYPE: evaluation LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT

WORD COUNT: 1740 LINE COUNT: 00135

... the original source document by changing the first letter of the extension to Q. TEST. DOC thus becomes TEST.QOC. The corrected document is given the original filename. The program uses..